INSTRUMENTS AND EXPERIMENTAL TECHNIQUES
Volume 18, Numbers 1-6, 1975

(A translation of Pribory i Tekhnika Éksperimenta)

Volume 18, Number 1, Part 1 January-February, 1975

	Engl.	Russ.
Millimeter and Submillimeter Receivers Using Josephson Junctions (Review) — F. Ya. Nad'	1	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
The System for Transporting the Beam in the Cyclotron at the Atomic Energy Institute — N. I. Venikov, L. G. Kondrat'ev, S. T. Latushkin, V. M. Maksimov, V. A. Rezvov, V. G. Son, V. N. Unezhev, N. N. Khaldin, N. I. Chumakov, and L. I. Yudin	16	23
Automatic Monitoring of the Parameters of the HF Supply System of a Linear Electron Accelerator — I. A. Grishaev, V. B. Mufel', and T. F. Nikitina	20	27
Spectrometer for Intense Electron Beams — K. A. Dergobuzov, O. B. Evdokimov, B. A. Kononov, and N. I. Yagushkin	23	29
A Cerenkov Spectrometer with a Water Radiator — V. I. Ganichev, V. V. Kruglov, A. V. Kulikov, A. V. Kuptsov, and L. L. Nemenov	25	31
The Use of Electronic Angular Collimation for the study of (n, α) Reactions — K. G. Rodionov, R. F. Rumi, and V. G. Tishin	28	33
Errors in Measuring the Distribution of a Substance over the Depth of a Thick Alpha Source by a Spectrometric Method — A. L. Kononovich and V. N. Klochkov	32	37
Removal and Storage of Ultracold Neutrons from a Reactor — V. V. Golikov and Yu. V. Taran	36	41
A Cathode-Ray-Tube Automaton for Handling Film Information — E. V. Kryutchenko, Yu. M. Kuchin, B. M. Rabin, and B. A. Utochkin	41	44
Increasing the Speed of Response of Television Complexes for Filmless Retrieval of Information from Spark Chambers — V. P. Gorokhov, I. V. Ershov, and A. V. Petrakov	44	46
Method of Determining the Characteristics of a Gamma Telescope — A. F. Iyudin, B. I. Luchkov, Yu. V. Ozerov, and E. V. Rogov	47	48
A Miniature Spherocylindrical Gold—Silicon Detector for Nuclear Radiations — A. A. Petushkov, V. A. Manchuk, and Yu. F. Pryakhin	51	51
Effect of the Connecting Circuit on Certain Parameters of an X-Ray Proportional Counter — E. F. Klyukvina	55	55
Supplying a Shower Spark Chamber from a Powerful Pulse Generator — A. G. Sterligov and Yu. P. Usov	57	56
Choice of the Optimal Dimensions of Plastic Scintillators Shaped in the Form of Filaments, Capillaries, and Hollow Cylinders — S. K. Achkasov, O. V. Il'ichev, V. M. Kolobashkin, V. M. Nesterov, V. P. Novichkov, A. N. Gudkov, V. I. Nekrasov, and Yu. A. Serbulov	60	59
Scintillation Pulse Rise Time in CsI as a Function of Activator Concentration and Temperature — A. S. Abduvaliev, N. G. Volkov, V. K. Lyapidevskii, V. A. Prorvich, and L. M. Shamovskii	63	61
Investigation of the Persistent Components of Luminescence of NaI(Tl) and CsI(Tl) Scintillators by the One-Electron Method — I. Mandzhukov, D. Kolev, B. Mandzhukova, and Ts. Bonchev	66	64

ELECTRONICS AND RADIO ENGINEERING

Amplitude–Time Analyzer for Use in Seeking New Heavy Particles and Antinuclei – B. Yu. Baldin, Z. V. Krumshtein, G. Khemnits, N. N. Khovanskii, and M. Shavlovski	71	69
Shaper of a One-Crystal Scintillation Spectrometer with a High Load Capacity – B. S. Novisov, A. I. Kosse, D. A. Pulin, and A. S. Maksimenko	75	72
Automation of Experiments in the Synchrocyclotron of the Joint Institute for Nuclear Research by Means of the HP-2116C Electronic Computer – S. V. Medved', A. N. Sinaev, B. Khan, and N. A. Chistov	79	75
Inclusion of Servicing Information on Photographic Film Designed for Automatic Handling – E. M. Andreev, I. M. Vasil'evskii, V. A. Moiseenkov, Nguyen Man' Shat, A. N. Sinaev, A. A. Stakhin, and N. S. Frolov	82	78
The Controllable Logical Block in the CAMAC Standard – S. G. Basiladze and A. N. Parfenov	86	81
An Analog-Digital Converter – A. G. Golovko and T. D. Shermergor	91	85
Logarithmic Digital Code-to-Time Converter – A. N. Klimov, G. V. Kryukov, and L. I. Matveenko	93	87
High-Speed Analog Memory Devices – V. G. Gutsman and O. I. Chaikovskii	95	89
High-Speed Logic Circuits for Multichannel Charged-Particle Counters – A. A. Nemashkalo and V. M. Denyak	99	92
A Multidetector Attachment to a Pulse Time-Distribution Analyzer – S. P. Volkov and B. P. Shishin	103	95
A Nanosecond Decade Counter – Yu. N. Artyukh, G. I. Gotlib, and V. Ya. Zagurskii	105	97
A Reversible Decade Counter Using Integrated Circuits with Digit Indication by Seven-Segment Incandescent Display – L. R. Seidel', Kh. A. Ismailov, and S. G. Saligov	109	100
Universal Integral Discriminator for Pulse-Height Analyzers – V. G. Brovchenko and M. M. Tsygankov	112	102
Generator of High-Power Radio Pulses with Short Leading Edges – S. S. Kalinichenko and O. M. Shvets	116	106
A High-Voltage Flip-Flop for an Electrostatic Accelerator Beam Trip – V. G. Brovchenko, Yu. D. Molchanov, and V. A. Ol'kin	119	108
A Controlled High-Voltage Spark Gap of Low Inductance – G. S. Kichaeva	122	110
A Two-Chamber Heavy-Current High-Voltage Switch – O. G. Bespalov, A. S. Knyazyatov, A. I. Nastyukha, P. A. Smirnov, and A. N. Udovenko	125	113
A Source of Coherent Nanosecond Radio Pulses – Yu. V. Vvedenskii, A. V. Andriyanov, and É. A. Ermilov	127	114
Nanosecond Pulse Generators Based on Avalanche Transistors and Charge-Storage Diodes – V. P. D'yakonov and A. A. Sterlyagov	129	116
Nanosecond Pulse Shaping with Shock-Excited Tuned Circuits – O. S. Kolotov	131	118
A Pulse-Train Shaper for Controlling a Thyristor Rectifier – A. G. Khandozhko, E. I. Slyn'ko, and R. I. Berman	133	119
Elimination of Losses during Shaping of Pulses That Are Statistically Distributed in Time – F. A. Abduragimov, M. A. Garibov, N. L. Guseinov, and A. G. Dzhafarov	136	122
Delay Devices Using Switching Diodes – B. A. Baginskii, Yu. A. Otrubyannikov, and E. V. Yaroslavtsev	139	125
A Pulse Distributor – V. M. Barbasov, E. N. Belov, I. K. Krylov, S. N. Neustroev, and A. K. Solov'ev	141	126
Phase-Pulse Discriminator for Measuring of Nanosecond Time Intervals – I. D. Mitsenko and S. K. Borisov	144	128
Step-Function Pulsed Reflectometer with Subnanosecond Resolution – Yu. V. Vvedenskii, L. V. Goryachev, and V. V. Krylov	146	130
Measurement Systems for Analysis of Fast Single-Shot Processes – V. I. Vinogradov and A. F. Denisov	149	133
Wide-Band Amplifier for High-Speed Oscilloscope – L. N. Kashcheev and L. M. Pakhomov	152	135
Remotely Located Preamplifiers – G. P. Petin	154	137

Volume 18, Number 1, Part 2 January-February, 1975

Sensitive Electrometer Amplifier Employing MOS Transistors—L. N. Ozerov, M. A. Pushkina, and M. E. Slutskii 157 140
Semiconductor Electrometer Amplifier with Thermal Drift Compensation—A. V. Parshin ... 160 142
Precision Stroboscopic Converter for Signals with a Frequency Band from 0 to 200 kHz —I. M. Blyumenau and V. G. Karklin'sh 163 145
A Digital Frequency Divider—B. G. Sharinov, G. A. Seraziev, and K. S. Nikonov 166 147
Tunable Active High-Pass RC Filter—A. F. Gorbatenko and A. M. Klimenko 169 149
A Transistorized Synchronous Detector—É. M. Antonov 171 151
Autodyne NMR Signal Detector Using Field-Effect Transistors—A. G. Khandozhko and E. I. Slyn'ko 173 152
A Phase Shifter for the 1-20 kHz Frequency Region—V. I. Kostenko, V. S. Suzdal', V. N. Zvyagintsev, V. L. Vasil'chuk, and Yu. M. Epifanov 175 154
Instrument for Measuring Microwave Power Based on the Hall Effect in Semiconductors —A. N. Komov, N. S. Kalashnik, and O. A. Knysbevskaya 177 155
Magnetoresistive Feed-Through Pulse Power Meter for the SHF Band—Yu. A. Arkhipov, L. I. Kats, V. P. Terzhova, and D. Sh. Shekhter 179 156
Submillimeter-Wave Imagery—N. I. Malykh, A. G. Nagornyi, and E. S. Yampol'skii 182 159
An Adjustable Sawtooth-Voltage Generator—A. G. Golovko and T. D. Shermergor 185 162
Quartz Oscillator with Automatic Frequency Control—A. A. Doktorov and V. A. Morozov ... 187 163
Transistor Oscillator for Pumping a Semiconductor Injection Laser—S. V. Kusurgashev 190 165
Instrument for Measuring Small Capacitances—N. M. Bratasyuk 193 167
Integrated-Circuit Curve Tracer—A. S. Terent'ev and V. P. Psurtsev 195 168
Transistorized High-Voltage Stabilizer—V. V. Dolgikh and V. I. Dolgikh 198 171

GENERAL EXPERIMENTAL TECHNIQUES

Monopole Photoionization Mass Spectrometer—M. E. Akopyan, F. I. Vilesov, A. V. Golovin, and Yu. L. Sergeev 201 174
Thermocouple Vacuum Gauge for the Measurement of High Pressures—R. T. Mina and G. D. Movsesyan 203 175
Measurement of the Intensity and Density of a Molecular Beam—A. A. Vostrikov, Yu. S. Kusner, A. K. Rebrov, and B. E. Semyachkin 205 177
A Translational Carriage for Use in Ultrahigh Vacua—V. M. Finogenov 208 180
Bias Curve Recording with a Combined Ion Source—V. I. Paleev 210 181
Preparation of Contacts to Metal Whiskers—F. N. Tavadze, G. M. Surmava, and V. V. Kiyanenko 267 229
Preparation of Large, Perfect Crystals from Metals of Low Melting Point —L. P. Mezhov-Deglin and V. N. Kopylov 269 230
Growth of Uranyl Rubidium Nitrate Single Crystals for Experiments with Oriented Nuclei —A. I. Gentosh, N. N. Gonin, L. K. Kozlovskii, Yu. Ya. Stavisskii, and D. I. Tambovtsev 271 232
An Apparatus for Graphite Coating of Quartz Ampuls—T. A. Shakhnazarov 273 234
A Crucible Evaporator with a Reflector for the Production of Homogeneous Thin Films —V. P. Kononov and V. S. Zhigalov 274 235
An Electrode for High-Frequency Ion Sputtering—E. V. Dorozhko and V. G. Savitskii 276 236
Reactive Evaporation of Alpha-Alumina Films onto Refractory Metals—M. I. Vinogradov, V. G. Dokukin, N. N. Rykov, A. M. Ryabtsev, M. R. Tyurikov, and V. F. Ul'yanov 278 237
A Low-Temperature Adiabatic Calorimeter for Small Amounts of Substance —V. M. Malyshev, V. N. Topnikov, and I. F. Shchegolev 280 239
An Absolute Pressure Regulation for Helium Cryostats—A. G. Labenskii and T. M. Sidyakina 282 241

Temperature Control to within ± 0.1°C in the 20-1200°C Range—A. G. Kim, V. M. Merkulov, and N. G. Sherstyukov 283 242
An Automatic Regulator for Varying the Temperature of a Specimen according to a Given Law—V. Yu. Galkin 286 244
A Self-Inductance Bridge for Fine Magnetic Thermometry—V. A. Pavlov, V. T. Shkraba, and D. N. Astrov 288 245
An Express Method of Determining Small Amounts of Water in Liquids and Gases—A. N. Kopnin, V. V. Meriakri, and M. G. Semenov 291 247

DEPOSITED PAPERS

A Digital Transducer for Two-Dimensional Functions for the T-91 Plotter—R. E. Eliseev, D. A. Men'kov, and V. M. Sal'nikov 293 249
Powerful Source for Gas-Discharge Lamps with Increased Pulse Repetition Rate—A. G. Bomko and V. M. Vakulenko 295 250
Highly Stable CW CO_2 Lasers Obtained by Automatic Frequency Control—O. N. Kompanets, A. R. kukudzhanov, and E. L. Mikhailov 296 250
A Device for Automatic Selection of Optimal Crystal Growth Conditions in Vacuum Sublimation—E. F. Andreev and V. V. Marevskii 298 252

REVIEWS OF INSTRUMENTS

Apparatus Based on DFS-12 Diffraction Spectrometer for Obtaining Raman Spectra Excited by a Cd + He Laser—L. M. Rabkin, V. P. Dmitriev, V. S. Aleinikov, V. V. Zubov, and V. V. Bibikova 299 253
Use of TSN-503 Electron-Optical Camera in Laser Experiments—V. V. Korobkin, Yu. V. Korobkin, P. Nodeneau, A. V. Prokhindeev, and M. Ya. Shchelev 301 254
Improvement of Accuracy of Zeiss UFPS Scanning Fabry-Perot Interferometer—Yu. F. Igonin and Yu. S. Martyushov 305 257
An Improved RÉMN Low-Voltage Scanning Electron Microscope—S. F. Dudnik, V. P. Podtykan, and V. I. Safonov 307 258
A Multicassette Camera for the EG Horizontal Electron-Diffraction Equipment—B. T. Boiko, S. V. Marun'ko, P. A. Panchekha, V. V. Gordienko, and and A. M. Prokopenko 309 259
Helium Cryostat for RÉ-1301 ESR Spectrometer—Yu. N. Tolparov 311 260

NEW INSTRUMENTS

Adaptive Random Process Analyzer—A. K. Bitus, Yu. V. Eganov, V. V. Makarevich, V. A. Ovsyannikov, A. V. Pakhomenko 314 263

Volume 18, Number 2, Part 1 March-April, 1975

The Current State of the CAMAC Standard (Review)—I. F. Kolpakov, V. A. Smirnov, and E. Khemelevski 329 7

NUCLEAR EXPERIMENTAL TECHNIQUES

A Three-Centimeter Microtron Having a Rated Energy of 4 MeV—O. N. Brezhnev, G. M. Kazakevich, V. A. Ponomarchuk, and E. M. Filippov 338 17
A Generator Producing Nanosecond Pulses of Fast Electrons—N. V. Belkin, V. V. Bogolyubov, V. I. Kolesov, and L. N. Khudyakova 341 19
A Duoplasmatron Having a Cold Cathode for an Injector in a Linear Proton Accelerator—V. A. Batalin, A. A. Kolomiets, V. K. Kondrat'ev, and R. P. Kuibida 344 21
Characteristics of an Injector with an Explosive Cathode—V. L. Chakhlov, V. S. Pushin, and S. P. Vavilov 346 23

Obtained a Sawtooth Beam Current Pulse in a High-Current Electron Gun — V. V. Zakutin, N. N. Nasonov, and A. M. Shenderovich 349 25
The Growth Rate of the Power in a Pulsed High-Current Beam of Accelerated Electrons — I. N. Slivkov 352 28
A Magnetic-Induction Meter for Measuring the Average Current of the Proton Beam in the Synchrotron of the Institute of High-Energy Physics — I. M. Bolotin, A. A. Kuz'min, A. M. Shcherbakov, and K. F. Gertsev 355 30
A Device for Measurement of the Radial-Angular Characteristics of a High-Energy Electron Beam — V. I. Artemov, V. I. Lizunkov, and F. A. Peev 359 33
Monitoring of the Spatial Position and Profile of a Particle Beam — K A. Amroyan, K. M. Avakyan, R. B. Aivazyan, and É. M. Matevosyan 362 35
Calculating the Configuration of the Windings of Superconducting Magnets — B. N. Zhukov, V. N. Lebedev, and I. A. Mozalevskii 365 37
Betatron Electromagnet with Azimuthal Variation of the Controlling Field — A. A. Zvontsov, V. L. Chakhlov, and A. A. Filimonov 368 40
A Magnetic Colloid for Alignment Work — E. N. Matveeva and M. G. Pisareva 371 42
Nondestructive Monitoring of the State and Characteristics of Tritium Targets — P. È. Vorotnikov 373 43
The Effect of the Slope of the Field Boundaries of an Electrostatic Analyzer on Its Ion-Optic Characteristics — G. A. Samsonov, A. A. Sysoev, and V. N. Kuznetsov 376 46
A Discrete Controller for Controlling the Speed of Rotation of a Mechanical Neutron Selector — A. E. Golovin 379 47
A Narrow Neutron Beam Spectrometer for Measurement of Transmission of Small Specimens — V. F. Razbudei and V. F. Vertebnyi 382 50
A Semiconductor Beta Spectrometer with a High Energy Resolution — S. K. Vasil'ev, Ts. Vylov, B. P. Osipenko, and Ya. Yurkovski 385 52
Shower Spectrometers and Radiators Consisting of Solutions of Thallium Salts — A. A. Varfolomeev, V. I. Glebov, É. I. Denisov, and A. S. Khlebnikov 391 57
The Instrumental Function of a Scintillation Spectrometer Having a Large NaI(Tl) Crystal — G. M. Gurevich, V. M. Mazur, and G. V. Solodukhov 394 59
A Scintillation Counter 100 cm Long for Measurement of Ionization Losses of Relativistic Particles — R. G. Astvatsaturov, V. I. Ivanov, E. Knapik, V. A. Kramarenko, B. A. Kulakov, A. I. Malakhov, G. L. Melkumov, and M. N. Khachaturyan 398 62
Recording Low-Intensity Neutron Fluxes from a Short-Lived Plasma — I. V. Volobuev, D. N. Gorbunov, B. V. Granatkin, and A. I. Isakov 401 65
Measurement of the Time Characteristics of Large Plastic Scintillators — L. S. Bagdasaryan, V. V. Kulikov, A. A. Tashchyan, and S. S. Farmanyan 404 67
Automatically-Controlled Helium Spark Detector for Recording Short-Range Particles — F. F. Kayumov 406 69
A Multifilament Proportional Chamber for an Alpha Spectrograph — V. A. Biryukov, V. M. Vakhtel', N. A. Golovkov, V. G. Zinov, A. D. Konin, and S. I. Ormandzhiev ... 408 71
Linear-Energy-Transfer Spectra of Longwave X Radiation — V. G. Koltilova, V. I. Popov, and A. K. Savinskii 411 73
Energy-Release Spectra in Rossi Counters — I. B. Keirim-Markus, A. K. Saviskii, I. V. Filyushkin, and O. N. Chernova 415 76

ELECTRONICS AND RADIO ENGINEERING

Automated Apparatus Complex for Signal Reception and Processing in Lidar Mensuration of the Distance to the Moon — V. N. Zaitsev, V. V. Kurbasov, A. V. Kutsenko, N. M. Lypkan', and B. A. Polos'yants 418 78
An Input Device for a Promin'-M Computer — A. P. Vetrov 421 81
Commutation of the CAMAC System Using Two Electronic Computers — Yu. V. Mikhailov and R. S. Shuvalov 424 83

Block for Adjusting Equipment which Operates with an Electronic Computer — E. V. Proskurin	427	86
Equipment Contraction of Compton Distribution in a High-Resolution Gamma Spectrometer — A. I. Gonchar and L. P. Kham'yanov	429	87
Instrumental Correction of the Effect of Missed Counts on the Shape of Power Spectra — V. G. Demenkov, Yu. S. Kulabukhov, V. S. Nesterenko, and L. A. Timokhin	433	90
Acquisition of Information from a Photoelectric Coding Device — V. P. Bruyakin	437	93
An Integrated-Circuit High-Speed Precision Comparator — I. K. Krylov, V. N. Kuleshov, and V. K. Selyukov	439	95
A High-Speed Comparator — V. G. Galalu and A. V. Fomichev	441	96
A Two-Loop Charging Device for Single-Pulse Amplitude—Time Converters and Expanders — V. G. Ioffe, A. V. Logvinov, and Yu. V. Pshenichnikov	442	97
Time Locking Circuits — N. A. Kornev	445	99
High-Speed Triggers with a Counting Input which are Based on Integrated Circuits — V. M. Grebenyuk, V. P. Nikolaev, and V. T. Sidorov	448	101
A Reversing Pulse Counter with Low Energy Consumption — A. A. Eremin and A. V. Vasyanin	450	103
Widening the Range of an Intensimeter by Means of Output-Voltage Feedback — S. Ya. Reizman and I. A. Rubinshtein	453	105
A Pulse Generator Based on Tacitrons — V. D. Dvornikov, S. T. Latushkin, L. I. Yudin, and V. M. Komarov	455	107
A Generator of High-Voltage Nanosecond Pulses — V. A. Voronov, V. K. Grishin, V. N. Lisin, and V. G. Sukharevskii	459	110
A Simple Spark Gap for High-Voltage Pulse Generators — Yu. P. Usov, V. I. Tsvetkov, and A. A. Shatanov	461	112
Controlled Vacuum Spark Gaps Rated at a Voltage of 50 kV for Multiple Commutation of Mega-Ampere Currents — P. N. Dashuk and G. S. Kichaeva	463	113
High-Speed Liquid—Metal Multiple-Break Commutator — V. G. Artyukh and S. A. Smirnov	466	116
Amplitude Stabilization of High-Voltage Pulses Using Powerful Commutators — A. T. Matyushin, V. T. Matyushin, V. S. Pak, N. S. Rudenko, V. I. Smetanin, and V. I. Tsvetkov	469	118
Coaxial Blümlein Line for Shaping Nanosecond High-Voltage Pulses — V. A. Artem'ev, V. M. Knyazev, N. N. Luzhetskii, V. P. Nikolaev, I. I. Pershin, and I. V. Rechitskii	472	120
A High-Voltage Pulse Shaper — I. M. Fedorov	475	122
Nanosecond Pulse Shaping with an Amplitude Larger than the Supply Voltage — V. V. Golubkov, O. S. Kolotov, and V. I. Petrov	477	124
A Foil Shunt for Recording Nanosecond Pulses — A. S. El'chaninov, B. M. Koval'chuk, and V. A. Lavrinovich	480	126

Volume 18, Number 2, Part 2 March-April, 1975

Digital Measurement of Pulsed High-Frequency Power — V. N. Alferov	483	128
A Pulse Amplifier with a Controllable Gain — D. A. Abdullaev and Yu. D. Gavrilenko	485	130
Amplifiers for Cosmic-Ray Neutron Supermonitors and Supertelescopes — V. F. Lyutenko, A. M. Starodubtsev, A. A. Upol'nikov, and N. P. Chirkov	488	132
A Low-Noise Preamplifier for Semiconductor Detectors with Optoelectronic Feedback — Hoang Dak Lyk	491	134
Noise of Load Resistors in Preamplifiers for Semiconductor Detectors — S. A. Baldin, I. A. Bairamashvili, and S. F. Gubin	493	135
X-Ray and Soft Gamma Radiation Spectrometer Preamplifier with Drain Feedback — G. K. Khomyakov, N. V. Serykh, A. G. Strashinskii, and N. A. Skakun	496	138

Direct-Coupled Electrometer Amplifier with a MOS Transistor — O. T. Gritsenko, I. Ya. Levental', and R. A. Arslanov 498 140
Synchronous Detector with an Operational Amplifier — N. B. Golyuka, V. M. Zasimenko, and N. G. Koval'chuk 500 141
An Electron-Optic Attachment for Streak Recording of One-Shot Oscillograms — V. I. Zhavoronkov and M. M. Filippov 502 143
A Wide-Range Phase—Voltage Converter — A. M. Fishtein 504 144
Nonthermostated Quartz Generators with an Instability of $\sim 10^{-8}$ — A. G. Smagin 508 147
Design Features of Broad-Band Transformers with Ferrite Cores — V. M. Stechenko 511 150
Frequency Meters Using Devices with S-Shaped Volt—Ampere Characteristics — V. M. Kul'gavchuk 514 152
Submillimeter Band Frequency Shifter — N. I. Malykh and E. S. Yampol'skii 517 154
Quasi-Optical Gas Spectroscope with a Backward-Wave Tube — A. N. Kopnin and M. G. Semenov 520 156
Logarithmic Converter for Photometers — V. I. Men'shikov 522 158
Empirical Expressions for Temperature Dependence of Photodiode Parameters — G. A. Stepanova, V. A. Baranov, L. S. Volkova, and R. Kh. Zakirov 523 159
A Precision Temperature Regulator — I. T. Berdanov, V. I. Kostenko, and P. E. Stadnik 525 161
A Transistor Temperature Regulator — S. P. Suleimanov and E. A. Il'chenko 527 162
An Independent Power-Supply Circuit for a Pulsed Solid-State Laser — A. S. Dubinker and E. V. Nilov 529 164
Control of the Supply of Flashlamps — G. A. Aver'yanov 531 165
An Automatically Controlled Power Supply for a Photoelectron Multiplier — T. E. Zamora, V. P. Marinets, B. V. Osyka, and A. A. Smerdov 534 167

GENERAL EXPERIMENTAL TECHNIQUES

A High-Vacuum Flange Connection with a Metallic Washer — A. N. Maleev, I. A. Petrenko, V. P. Ryabov, and A. I. Kholodov 537 170
Formation of an Electron Beam and the Light Phenomena in Nanosecond Vacuum and Gas-Filled Diodes — N. G. Pavlovskaya and S. L. Él'yash 539 171
Investigation of the One-Electron Spectra of a FÉU-64 Photomultiplier — V. K. Dolinov, L. S. Novikov, and V. I. Roslyakov 543 174
A Discrete Mass-Number Pickup for Digital Recording of Mass Spectra — Yu. A. Volkov, E. S. Brodskii, and I. M. Lukashenko 547 176
A Vacuum-Tight Compressor — L. K. Bogomolova and A. T. Vasilenko 551 180
A High-Pressure Vessel for Research by the Nuclear Magnetic Resonance Method — Ya. I. Shurin and B. I. Obmoin 554 182
A Multiple Electrical Lead for a High-Pressure Chamber — E. G. Kuchukov 557 184
A Tension-Sensitive Silicon Membrane — V. S. Shadrin, V. Yu. Kal'pus, and V. A. Gridchin .. 559 185
Nanosecond Electrostatic Switching of a Light-Flux Recorder — P. I. Gos'kov and N. V. Zamyatin 561 186
High-Speed Acoustooptical Spectrum Analyzer for Short Radio-Frequency Pulses — É. I. Krupitskii, V. S. Lobach, T. N. Sergeenko, and V. I. Yakovlev 563 188
Measurement of the Ratio between the Amplitudes of Light Pulses and the Linearity of a Photoelectron Multiplier by Means of a Stroboscopic Oscilloscope — Yu. B. Bushnin, R. N. Krasnokutskii, Yu. V. Mikhailov, V. N. Morozov, and R. S. Shuvalov 566 190
Use of Avalanche Photodiodes in Streak Cameras Having an Increased Interference Immunity — V. A. Druchevskii, V N. Lomakin, N. V. Malysheva, I. N. Matveev, I. P. Nekrasov, and B. V. Poletaev 569 192
A Lightguide for Transmission of Radiation from a Point Light Source onto the Entire Photoelectron Multiplier — B. V. Osyka 573 195
A Reflectometer for the 10.6-μ Region — V. P. Avtonomov, E. T. Antropov, and Yu. A. Kochetkov 575 197
Application of Single-Crystal Tellurium in Infrared Spectroscopy — V. I. Vettegren', K. N. Kuksenko, I. I. Farbshtein, and A. E. Chmel' 577 198

Apparatus for Measuring Kerr Constants — M. V. Khashchina, V. S. Raff, and V. A. Zamkov	580	200
Photorecording Device for Studying Orientational Effects in the Channeling of Protons — V. A. Arkhipovich, V. M. Kolyada, and V. G. Denisov	583	202
Equipment for Experiments in the Study of Orientational Effects Which Accompany the Channeling of Protons — V. G. Karandashov, A. S. Rudnev, E. I. Sirotinin, and K. S. Shishkin	586	204
A Proton-Diffraction Camera Having a Particle Energy of Up to 100 keV — A. L. Fainshtein, K. Sh. Shuster, and A. M. Markus	589	207
Statistical Distribution of the Energy Yield of Pulsed X-Ray Generators — L. Ya. Morgovskii and M. I. Shenderovich	592	209
A Combined X-Ray Spectrometer fro Measurng Deformation in Single Crystals — V. D. Skupov and G. I. Uspenskaya	594	210
An Attachment fo an X-Ray Diffractometer for work at High Temperatures — E. M. Antipov, N. N. Kuz'min, Yu. K. Ovchinnikov, and G. S. Markova	597	214
A Narrow-Band X-Ray Detector — K. V. Anisovich and N. I. Komyak	599	216
Zn-Doped GaAs Low-Temperature Thermodiodes — S. P. Logvinenko and O. A. Rossoshanskii	602	219
A Device for High-Temperature Investigation of Concentration and Mobility of Charge Carrriers in Semiconductors — G. S. Pekar', L. I. Khandros, and E. L. Shtrum	605	221
Fabrication of Surface-Barrier Structures on P-Type Cadmium Telluride — V. E. Ukrainets and A. D. Shneider	607	222
Growth of Bi—Sb Alloy Single Crystals — K. G. Ivanov, A. S. Krylov, and I. K. Kalugina	610	225
A Device for Controlling the Diameter of Crystals Grown from a Melt — N. I. Autenshlyus, Yu. P. Betin, V. V. Dobrovenskii, A. Ya. Zbarskii, U. I. Kotik, and I. L. Shenderovich	612	226
Obtention of Thin Free Aluminum Films — L. I. Andreeva, V. A. Belokon', T. M. Malinina, R. R. Odintsova, and A. I. Yuzhin	615	228
Method of Determining Thermal Conductivity of Thin Films — Yu. A. Boikov, B. M. Gol'tsman, and S. F. Sinenko	617	230
Sensors for Investigating Heat Transfer in Gases in External Fields — V. D. Borman L. L. Gorelik, V. S. Laz'ko, B. I. Nikolaev, and V. V. Sinitsyn	620	232
An Absolute Opticomechanical Low-Temperature Dilatometer Based on a Relative Dilatometer — V. M. Gurevich, O. V. Morozova, and N. P. Posnov	622	233
A Device for Suspending a Rotor in a Magnetic Field — D. F. Sidyakov	624	235
Restoration of Quartz Resonators — B. Sh. Berenshtein and L. N. Karpova	626	236
A Simple Accessory for Controlling the VRT-3 Temperature Regulator — V. K. Yakushin and O. N. Talenskii	627	237
DEPOSITED PAPERS		
Effects of the Edge Field in the Focus of a Magnet with Plane-Parallel Poles and Rectilinear Boundaries — V. A. Belyaev and M. M. Dubrovin	628	238
Effects of an Electrin Field on the Emission Produced from a Liquid Scintillator by Ionizing Radiation — A. A. Nozdrin and G. A. Shelkov	630	239
An NQR Study of the Response of a Solid to Pressure and Temperature — Yu. I. Manzhura, N. E. Ainbinder, and A. S. Azheganov	631	240
A Method of Measuring the Magnetic Spectra of Reactor-Irradiated Ferrites — V. V. Dem'yanov and A. K. Podsekin	632	240
A Meter for Weak Light Fluxes — R. V. Orlov, U. V. Yanson, and Yu. T. Veinald	634	241
REVIEWS OF INSTRUMENTS		
Multidimensional Use of AI-1024 and AI-4096 Pulse-Height Analyzers — N. D. Zaika, I. S. Kovtunenko, and O. G. Savchuk	635	243
Automatic Data Output to a Tape Punch from an AI-128-2 Analyzer — K. B. Yudin and V. I. Posadskii	638	245
A Six-Channel Printer Based on the BAP-2 — S. G. Shchemelinni and V. V. Bagaev	640	247
Correction of Electrostatic Voltmeter Readings in Ungrounded Circuits — E. G. Kon'kova	643	249

	Engl.	Russ.
Effective Working Life of the INGEM-1 Magnetic-Discharge Helium Meter — V. V. Pimenov ..	645	250
An Ion Source for the MKh-1303 Mass Spectrometer for High-Temperature Thermodynamic Studies — V. M. Grankin and P. P. Semyannikov	647	251
Transmission of Powerful Laser Radiation by Neutral Light Filters — F. A. Korolev, A. N. Murad, and V. N. Migushin	650	253
An Accessory to the PDO-1 Diffuse-Reflection Attachment for Measurement at Different Temperatures — Yu. N. Volgin and N. E. Matveev	652	254
NEW INSTRUMENTS		
A Multichannel Digital Statistical Analyzer for the Analysis of the Peaks of Random Processes — A. S. Lushnikov, A. A. Os'minin, N. G. Zakharov, and A. D. Gorbokenenko	654	255
A Two-Coordinate Statistical Analyzer and Curve Tracer — Yu. V. Eganov, V. V. Makarevich, V. A. Ovsyannikov, A. V. Pakhomenko, and N. G. Pochinchuk	655	255
The UMI-93ShS Time-Analyzing Image Converter — G. I. Bryukhnevich, M. M. But-slov L. Z. Lipkovich, B. M. Stepanov, and M. Ya. Shchelev.....	655	256
The UMP-5 Multichannel Digital Synchrodetector — Yu. N. Artyukh, V. A. Bespal'ko, Ya. Ya. Miller, and V. S. Rylov	656	257
Programming Device for a Pulsed Radio Spectrometer — S. A. Shchennikov, I. P. Biryukov, and A. F. Babkin	657	257
A Wideband Amplifier with Negative Feedback — V. D. Obikhvostov	657	258
A Four-Channel Low-Noise Measurement Amplifier — A. V. Blokhin, Yu. I. Rebrin, V. A. Romanov, M. I. Kolodin, V. P. Shabashov, and A. F. Gorbuntsov.....	658	258
A Multichannel Recorder for Slowly Varying Voltages — F. P. Kalyaev	658	259
A Multichannel Apparatus for Recording of VLF Signals — N. F. Vollerner, N. M. Todosienko, S. V. Balitskii, O. A. Gornitskii, A. S. Ryzhanovskii, and V. K. Chelpanov	659	259
Automatic Balance for Measuring Magnetic Susceptibility — V. A. Antipin and Yu. V. Ergin ...	659	260
A Wide-Range Magnetometer — V. M. Deryak, N. V. Perun, and Yu. V. Vladimirov	660	260
A Two-Channel Light Flux Recorder — V. N. Vashnevskii, M. N. Demchuk, S. M. Dmitriev, and A. F. Chernyavskii	661	261
A Low-Temperature Cryostat (0.8-4.2°K) — D. N. Andrienko, A. A. Mamlyu, M. A. Obolenskii, and V. I. Khipkevich	662	262
A Precision Temperature Regulator — Ya. V. Vasil'ev.....	663	263

Volume 18, Number 3, Part 1 May-June, 1975

Application of the CAMAC system in Laboratory Research, Industry, and Medicine (Review) — I. F. Kolpakov and E. Khmelewski.....	665	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Perfection of a Circuit for the Control of Ignitron Converters in the Power-Supply System of the Proton Synchrotron at the Institute of High-Energy Physics — V. K. Vorob'ev E. V. Kornakov, G. S. Lyapichiev L. L. Moizhes, O. N. Radin, A. G. Roshal', and F. M. Spevakova.....	677	19
The Operation of a Cyclotron in a Double-Pulsed Regime — N. I. Venikov, S. T. Latushkin, V. A. Rezvov, E. I. Rybakov, V. N. Unezhev, and N. I. Chumakov	680	22
Acceleration of Beryllium Ions in a Cyclotron — N. I. Venikov, V. N. Unezhev, and N. I. Chumakov	683	24
A Multielectrode Electron-Optic System with an Inductive Storage Device for a High-Current Accelerator — A. A. Kozlov, A. E. Maslov, G. I. Prakhova, and I. N. Slivkov	685	25
Accelerating and Switching Optoelectronic System of a High-Powdered Accelerator with an Inductive Storage Element — I. N. Slivkov and G. I. Dolgachev.....	688	27

Electron Accelerators with a Plasma Injector and Beam Extraction into Atmosphere — S. I. Belyuk, V. A. Gruzdev, Yu. I. Zherdev, G. S. Kaz'min, B. M. Koval'chuk, Yu. E. Kreindel', K. A. Mozgunov, A. G. Filonov, and A. V. Shchelokov 692 30
The PMB-6 Betatron with an Extracted Electron Beam — G. V. Erofeeva, Yu. N. Bel'tyaev, and V. L. Chakhlov 695 32
A High-Power Pulse-Type Accelerator with Ribbon-Shaped Electron Beam — R. K. Bevov, V. S. Mezhevov, Yu. B. Smakovskii, and A. P. Strel'tsov 697 34
A Pulsed Electron Accelerator — V. D. Volovik, K. Ya. Gaiduk, I. I. Zalyubovskii, and V. V. Chernyi 700 36
Increasing the Operating Reliability of High-Current Pulsed Accelerators by Means of Nonlinear Resistors — B. A. Demidov, M. V. Ivkin, V. A. Petrov, and S. D. Fanchenko 702 37
A Pulsed Modulator Rated at a Power of 5 MW Having a High Repetition Frequency — V. G. Abdul'manov, V. L. Auslender, G. B. Glagolev, A. D. Panfilov, and N. D. Romashko 705 39
System for Stabilizing the Voltage of Electrostatic Accelerators — A. V. Almazov, V. V. Opasin, and F. F. Myntsov 707 41
Spectrograph with Semicircular Focusing for the Investigation of the Energy Distribution of a High-Current Beam of Relativistic Electrons — T. S. Gosteva, G. R. Zablotskaya, B. A. Ivanov, S. A. Kolyubakin, and V. I. Chernobrovin 711 44
Cerenkov Spectrometers with a High Time Resolution — Yu. N. Adishchev, G. N. Dudkin, V. N. Eponeshnikov, and Yu. V. Krechetov 714 46
Installation for the Observation of Nuclear Gamma-Resonance According to Conversion Electrons — P. L. Gruzin, Yu. V. Petrikin, and R. A. Stukan 716 48
A Monocrystalline Quartz Neutron Filter — O. N. Efimovich, V. G. Shapiro, and O. L. Kukhto 719 50
The p-v-T Diagram of Liquid Parahydrogen in the Metastable Region — E. I. D'yachkov 721 51
Dependence of Ionization on Momentum of Relativistic Particles in Nuclear Photoemulsions — I. Ya. Chasnikov and Ts. I. Shakhova 723 52
Using Nuclear Emulsions for Long-Exposure Recording of Low-Energy Deuterons in Vacuum and in Helium — I. Ya. Barit, Yu. G. Balashko, L. S. Dul'kova, V. P. Zavarzina, and T. A. Romanova 726 55
Operating Characteristics of Gas-Filled Proportional Counters with a Nonsolid Cathode — M. I. Balonov 730 58
Use of Photoresistors to Correct the Current Response of Gas-Discharge Counters — S. I. Avdonkin, Yu. A. Kuznetsov, and A. V. Sidorenko 733 60
Time-of-Flight Scintillation Telescope — S. A. Voronov and A. F. Kustovskii 735 62
A Scintillator Based on Hexafluorobenzene — Yu. V. Kozlov, V. P. Martem'yanov, V. G. Tarasenkov, and V. F. Poduzhailo 737 64
A Highly Efficient 1.8-Ton Scintillation Counter for Proton Detection — L. B. Bezrukov, R. I. Enikeev, V. B. Korchagin, and O. G. Ryazhskaya 740 66
Temperature Dependence of Efficiency of a Large Liquid Scintillation Detector — A. V. Voevodskii and Yu. V. Sten'kin 743 69
A Thick-Walled Ionization Chamber — V. A. Nikitin and P. I. Vatset 745 70
Postdischarge Deionization in Spark Chambers with a small Gap — V. I. Martynov and V. V. Ryl'tsov 747 72
An Alpha-Ionization Gas Analyzer for the Detection of Air in Hydrogen and Deuterium at Atmospheric Pressure — A. V. Mitrofanov 750 75

EXPERIMENTAL APPLICATION OF COMPUTER ENGINEERING

Program-Control Device for On-Line Two-Way Communication between Man and an Electronic Minicomputer — V. M. Gryaznov and I. Tomik 752 77
Device for Visual Output and Handling of Data by Means of a Light Pencil for the "Nairi-2" Electronic Computer — V. I. Vinogradov and V. I. Protasov 756 80

A Minicomputer-Based Fast System for a RT-22 Radiotelescope — A. V. Kutsenko, B. A. Polos'yants, G. T. Smirnov, R. L. Sorochenko, and S. A. Terekhin 758 81
A System of Automatic Methamatical Processing of Electronic Paramagnetic Resonance Spectra — Yu. G. Tkach, S. N. Dobryakov, and Ya. S. Lebedev 762 84
Monitor for Linking CAMAC Hardware with the M-6000 Computer — T. V. Bespalova, I. A. Golutvin, V. D. Kondrashov, and D. A. Smolin 764 85
The VRR-444 Input Relay Register in the CAMAC Standard — L. G. Efimov and A. P. Kryachko . 767 87
A Fast Decimal Counter with Display in the CAMAC Standard — S. G. Basiladze 770 89
Preset Counter in the CAMAC Standard — L. A. Urmanova 773 92
Time Coder with Low Differential Nonlinearity for the Nanosecond Range — A. I. Klimov, E. A. Meleshko, and A. G. Morozov 777 95
Information Display for Multidimensional Analyzers — V. A. Matusevich and V. G. Mironchik .. 780 98

ELECTRONICS AND RADIO ENGINEERING

A Spectrometric Time Interval Analyzer with Range 10^{-10}-10^{-3} sec — M. I. Demchuk, S. M. Dmitriev, and A. F. Chernyavskii 783 100
High-Speed Binary—Quinary Pulse Counter Using Integrated Microcircuits — A. A. Sheredeka .. 785 102
Pulse Subtractor Using Integrated Microcircuist — D. D. Natanzon 787 103
An Integrated-Circuit Electronic Switch — V. V. Demidenko 790 105
A Wide Range Voltage-Pulse Repetition Rate Converter — V. K. Sinitsyn and P. F. Khrist'yan 793 108
An Integral-Differential Amplitude-to-time Converter — S. N. Neustroev and V. A. Reshetov .. 796 110
Analysis of Differential Nonlinearity of Precision Amplitude Converters — M. E. Glushkovskii 798 111
Digital Time-Interval Synthesizer — D. A. Efremenko, V. M. Lutkovskii, and I. A. Malevich .. 803 115
A Generator of Pseudorandom Signals with Uniform Spectrum — V. G. Chekrizov 806 118
70-kJ High-Voltage Pulse Generator — B. A. Demidov and M. V. Ivkin 808 120
Generator of Long Rectangular Pulses with Steep Edges — S. G. Titov, V. I. Zolotarevskii, and V. D. Kashcheev 811 122
High-Voltage Thyristor Generator Producing Microsecond Pulses Having a Steep Trailing Edge — L. A. Kalina, P. A. Novysh, and T. B. Pavlova 813 124
Semiconductor Generator Producing Powerful Microsecond Current Pulses with a Steep Trailing Edge — P. A. Novysh, T. B. Pavlova, and L. A. Kalina 816 126
The Time Required for Transfer of Current from a Liquid-Metal Commutator into a Shunting Circuit — V. G. Artyukh and S. A. Smirnov 819 128
Initiation of the Breakdown of a Gas Gap by a Pulsed Electron Beam — A. I. Pavlovskii, G. D. Kuleshov, A. I. Gerasimov, and E. G. Dubinov 821 130
Broadband Contactless Current-Pulse Indicator — V. P. Korotkii and V. M. Nemirovskii 824 133
A Pulse Shaper — V. A. Zhavkov 826 134
A Wide-Band Pulse Signal Shaper — A. M. Sokol'vyak 828 135
Pulse Shaper with a Small Recovery Time Using Integrated Circuits — S. A. Shein, A. S. Karasik 830 137

Volume 18, Number 3, Part 2 May-June, 1975

Multivariable Digital Correlometer — V. N. Andreev, A. P. Gormatyuk, Yu. I. Gribanov, V. A. Demin, V. V. Zhertovskii, P. K. Karpov, and L. A. Matalin 833 138
Infrasonic Spectral Analyzer — Yu. A. Abramov, V. S. Bessmertnyi, G. P. Bolotov, M. S. Kozlov, M. V. Odintsov, and N. P. Cheragin 838 143
Recording Radiohologramsby the Perturbed-Field Method — Z. S. Boitsova, M. S. Krivolutskaya, and V. M. Meshchankin 842 146

Submillimeter Autodyne Radiospectrometer Using Tuned Backward-Wave Tube — E. M. Gershenzon, E. M. Kuleshov, A. A. Negirev, L. A. Orlov, and B. N. Tumanov	845	148
Parametric Superregenerator System for Observing Nuclear Quadrupole Resonance (NQR) Signals — N. N. Dzbanovskii, Yu. S. Konstantinov, and V. Yu. Maslov	847	150
Scattered Gamma-Ray Resistration Channel for Nuclear Gamma-Resonance Spectrometer — Yu. F. Babikova, M. R. Gryaznov, L. M. Isakov, N. S. Kolpakov, and M. N. Uspenskii	850	152
Instrument for Measuring the Dielectric Parameters of Semiconductors — Yu. G. Podkin	854	155
Phase-Stable Harmonic-Signal Amplifier-Limiter — A. M. Fishtein	856	156
A Band RC-Filter Using a Schmitt Trigger — E. P. Maksimchuk and N. M. Dvoinin	858	157
A Band RC-Filter — V. A. Isaikin	860	159
Microcircuit Logarithm Converter — A. Kh. Margolin and Yu. V. Chechetkin	863	161
Tristable Voltage Comparator — V. I. Koval'kov and Yu. K. Filipskii	865	163
Stabilizing the Operating Voltage of an Avalanche Photodiode — V. V. Korolev and O. M. Berlizova	868	165
Sawtooth Voltage Generator — G. V. Basalaev	871	168
Magnetic-Field Reference Device — G. G. Gurov	873	169
Measuring Instantaneous Values of Magnetic Fields — V. M. Lachinov and V. K. Makoveev	874	170
Television Three-Coordinate Position Indicator — A. A. Gavrilkin, N. E. Uvarov, and A. V. Kotel'nikov	877	173
Television Counter for Fission-Fragment Tracks — I. V. Zhuk, V. A. Malakhov, A. P. Malykhin, and V. V. Smirnov	883	179
High-Voltage Power Supply for Low-Power X-Ray Tubes — E. L. Kantor	887	182
Alternating Current Stabilizer — A. G. Volchenko and É. L. Kassatsier	889	183
Converter Using Mains Frequency and Voltage for Supplying Synchronous Motors — V. A. Kalachev and V. N. Verkhoturov	891	184
GENERAL EXPERIMENTAL TECHNIQUES		
Effect of Heating of a Sensor on the Parameters of a KM-2 Quadrupole Mass-Spectrometer — G. I. Slobdenyuk, V. S. Voronin, V. I. Ivashkin, and V. N. Aprishchenko	893	187
A Compact Glass Getter-Ion Pump — R. L. Nemchenok and T. N. Pal'ts	896	189
Flange Seal with Rubber Washers for an Ultrahigh Vacuum — V. G. Epifanov, I. V. Lezhnenko, V. P. Mikhailenko, and F. A. Shavanov	898	190
Vacuum-Tight Rotating Inlet with a Magnetic-Fluid Seal — A. Z. Avramchuk, A. K. Kalinkin, Yu. O. Mikhalev, D. V. Orlov, and A. P. Sizov	900	191
The Electron-Optic Characteristics of a Two-Stage Electron Gun Having an Accelerating Voltage of 200 kV — P. A. Stoyanov, I. S. Renskii, É. A. Shulyak, N. Z. Osipova, and V. P. Rachkov	902	193
Method of Studying the Effect of the Arrival Angle of Vapors on the Properties of Condensates During Cathode-Ray Vaporization — V. A. Bazakutsa and V. D. Kulibaba	905	195
A Photoelectronmultiplier with Control Grid — V. M. Gorbachev, V. N. Korolev, L. V. Serdyukov, A. G. Berkovaskii, V. S. Vorob'ev, V. G. Gusel'nikov, and Yu. I. Gubanov	907	196
50-Channel Light-Pulse Generator — A. A. Bolotov, B. M. Lovyagin, N. A. Manulov and I. K. Sakkeus	909	198
Modulation Photometer with Rotating Interference Filter — S. B. Lyakhov and G. G. Managdze.	912	200
Use of Industrial Transistors as Photodetectors — L. N. Gus'kov, V. P. Sologub, and B. I. Troshin.	914	201
Twin-Wave Vibration-Resistant Interferometer — Yu. G. Kalinin, V. A. Skoryupin, and Yu. I. Shestakov	916	202
Investigation of the Range of Brightnesses When Recording Pulsed Luminescence by Means of a UMI-92 Image Converter — A. V. Dombrovskii, G. A. Ivanov, V. I. Ponomarev, and N. V. Sukhov	919	204
Compact Neon—Helium Laser with an Increased Power Rating — V. A. Bazhylenko, A. A. Gryazev, and D. P. Krindach	921	206

The Use of Dimethylsufoxide as the Solvent of Dyes in Q-Modulators in Laser Cavities — B. L. Dvaydov, D. Yu. Kozyarskii, and P. S. Fisher 924 208
Controllable Transparency Based on Orthoferrite for the Recording of Holograms — A. M. Balbashov, A. A. Komlev, A. K. Stolyarov, A. Ya. Chervonenkis, and V. E. Bakhteuzov 926 210
The MGI-1 Holographic Microscope — V. M. Ginzburg, A. A. Zolotarev, E. N. Lekhtsier, É. G. Semenov, and B. M. Stepanov 929 212
Obtaining Powerful Magnetic Fields by Means of a Powerful Capacitor Bank — A. I. Pavlovskii, E. N. Smirnov, and V. N. Suvorov 932 214
A High-Pressure Device with a Hydrostatic Medium for Transmitting the Pressure — V. B. Shipilo and F. A. Shipilo 935 216
Pressure Distribution in the Cell of a Soiid-Phase "Anvil with Hole" Device Up to 3 GPa — R. A. Ishbulatov and Yu. A. Litvin 938 218
The Use of UMI-95 Image Converter to Investigate Recombination Radiation in Silicon Structures — E. A. Panyutin and I. G. Chashnikov 941 221
Installation for Investigating the Magnetization of Semiconductors by Light with Signal Storage in a Multichannel Amplitude Analyzer — M. M. Afanas'ev, M. E. Kompan, and V. G. Fleisher 944 223
Installation for Measuring Spin-Lattice Coupling constants by the Ultrasonic Method — V. G. Badalyan 947 226
Graphical Method for Determining the Lifetime of Adatoms and the Heat of Adsorption from the Dependence of the Electron Work Function on Adsorption Time — E. A. Tishin 950 228
Measurement of the Hall EMF of High-Resistance Samples — G. I. Gusev and N. N. Kovalev ... 952 230
Equipment for Investigating Semiconductors in a Raster Electron Microscope by Means of a Current-Diode Signal — E. B. Korob 956 233
Proton-Diffraction Attachment ot Ion Accelerators for Studying Orientational Effects — A. M. Markus 959 235
Radiation Characteristics of Pulsed X-Ray Tubes with Field-Emission Cathodes — Yu. S. Lobachev, Yu. M. Tolchenov, V. A. Shishkin and L. S. Éig 961 237
Installation for Obtaining thin Al_2O_3 Films — A. A. Barybin, V. I. Tomilin, V. A. Kelmpel', and É. A. Makhotin 963 238
A Compensation Electrothermograph (High-Speed Calorimeter) — L. B. Mashkinov, Yu. E. Volodin, V. V. Barelko and L. N. Gal'perin 965 240
An Adjusting Device — V. I. Mar'in, V. A. Moiseev, and I. V. Averkieva 968 242
Magnesium Windows with a Miniature Indium Seal for Mössbauer Helium Cryostat — S. K. Godovikov and V. G. Snigirev 970 243
Automatic Regulation of Coolant Level in Cryostats — A. Z. Grasyuk and V. G. Smirnov 972 245
Determination of Superconductive Transition Temperature — O. B. Mel'nikov and D. P. Moiseev 974 246
Method for Investigating the Properties of a Superconducting Quantum Magnetic-Flux Meter — V. A. Kozlov, N. D. Kozlova, E. M. Savitskii and I. I. Bykov 975 247
The Measurement Element of a Superconducting Interferometer — M. S. Legkostupov 977 248
REVIEWS OF INSTRUMENTS
Acquisition of Information from an AI-1024 Analyzer onto a Tape Puncher — N. D. Zaika and I. G. Goncharov 979 250
Device for Controlling an APM-3M Printer — S. I. Konovalov and B. L. Pereverzev 981 251
Matching the Operation of the B3-15 to a Graph-Plotter — V. A. Matusevich and V. G. Mironchik 983 253
Improving the Loading Properties of a Spectrometer Operating with an "Intertechnik-WM96" Analyzer — D. S. Andreev and S. A. Petrov 985 254

Metallic Construction for Direct Inlet of the Investigated Substance Into the Ion Source of the MKh-1303 Mass-Spectrometer — S. E. Trokhov, V. P. Shcherbinin, Yu. G. Serokhin, and Yu. S. Nekrasov 987 255
High-Pressure Chamber for X-Ray Research on the DRON-1.5 Diffractometer in the 80-500°K Temperature Range — É. A. Zavadskii, B. Ya. Sinel'nikov and V. I. Kamenev 990 257
Interference Refractometer Based on the ITR-2 Having Multiple Passage of the Rays through the Investigated Object — N. D. Kosov, L. I. Kurlanov, and G. P. Martynova 993 259
Spectrofluorimeter Based on a DMR-4 Monochromator — V. A. Smirnov and V. B. Nazarov 995 260
Cell Heated to 500°C for Investigations Performed on Infrared Spectrometers — K. A. Tleulieva and A. I. Lapshin 996 260

NEW INSTRUMENTS

Portable Device for Adjustment of the Data Transmission Channel in an Electronic Computer — V. M. Gilev and P. G. Kirtok 998 262
Two Binary Counters in the CAMAC Standard Based on Monolithic Integrated Circuits — Nguyen Fuq, E. Kemelewski, and E. V. Chernykh 999 263
Register for Controlling the RUR-501 Relay in the CAMAC Standard — E. Khmelewski 999 264
The IND-522 Decimal Indicator in the CAMAC Standard — V. A. Aref'ev, L. G. Efimov, and A. P. Kryachko 1000 265
High-Efficiency Multisection Geiger-Mueller Counters Having a Short Dead Time — A. B. Dmitriev, N. I. Kozlov, and A. I. Filatov 1001 265
Single-Sideband-Frequency Modulator for the Millimeter Range of Wavelengths — E. L. Bartashevskii and V. P. Kanunnikov 1002 266
A Reflection-Coefficient Meter — G. A. Vedyushkin, A. I. Svarovskaya, V. S. Tupitsyn, and M. G. Chernyshov 1002 267
The Isso-1 Velocity Meter for Luminous and Illuminated Objects — L. P. Khil'kevich, V. D. Shimanovich, and A. K. Shipai 1003 268
Instrument for Investigating Microinhomogeneities in Single Crystals — B. M. Bulgakov, A. I. Fisun, and A. M. Kurov 1003 268
The MI-1, -2, -3, -4 Display Modules — Yu. R. Sevunyan and A. V. Gavrish 1004 269

Volume 18, Number 4, Part 1 July-August, 1975

Automation of the Processing of Tracks in Solid-State Track Detectors (Review) — V. I. Pribytov and B. S. Rozov 1007 7

NUCLEAR EXPERIMENTAL TECHNIQUES

Method of Adjusting a Multistage Magnetooptical Channel — M. M. Kats and V. M. Breev 1014 13
Shaping Device of a High-Current Nanosecond Accelerator — V. M. Bystritskii, B. V. Okulov, Yu. P. Usov, V. I. Tsvetkov, and A. A. shatanov 1018 16
Automatic Extraction of Ions from a High-Frequency Ion Source — V. A. Nikitin and V. P. Yakushev 1021 19
Obtaining Intense Beams of Negative Hydrogen Ions — A. S. Kucherov, L. S. Lebedev, and A. V. Orlovskii 1024 21
An Installation for Measuring the Profile of a Particle Beam — Yu. M. Antipov, Yu. B. Bushnin, A. F. Dunaitsev, V. G. Rybakov, V. A. Sen'ko, A. N. Sytin, M. M. Soldatov, and A. N. Kholkin 1027 24
Measurement of the Linear Polarization of a Gamma Beam by Spark Chambers on-Line with an Electronic Computer — P. S. Anan'in, V. G. Goryachkin, B. N. Kalinin, V. M. Kuznetsov, and V. M. Tarasov 1029 25
A Compact Solid-Hydrogen Target — L. M. Barkov, M. S. Zolotorev, P. K. Lebedev, V. S. Okhapkin, and V. P. Smakhtin 1032 27

Method for Precision Measurement of the Edge Displacement of a Bremsstrahlung Spectrum — I. P. Karabekov, M. A. Martirosyan, and S. S. Ovakimyan 1034 28
Operational Monitoring of the Operation of Optical Spark Chambers — V. V. Alizade, A. V. Dem'yanov, and D. M. Khazins 1037 31
Wide-Gap Spark Chambers for the Investigation of Reverse Electroproduction of Pions — V. V. Alizade, A. V. Dem'yanov, and D. M. Khazins 1040 33
Characteristics of a Wide-Gap Spark Chamber with Polyethylene Plates in the Working Volume — P. S. Anan'in, I. V. Glavanakov, and V. N. Stibunov 1043 35
An Automaton for Handling Filmed Data — V. V. Koshtoev, B. K. Kulidzhanov, P. A. Bondarenko, and Z. Sh. Mandzhavidze 1046 37
Semiconductor Detectors for Measuring the Alpha Activity of Liquids — A. I. Bychenkov, M. P. Malafeev, and A. N. Sirotinin 1049 39
Behavior of Surface-Barrier Detectors in an Ionized-Gas Medium — I. Bacho, V. F. Kushniruk, A. Pajit, A. V. Rykhlyuk, and Yu. P. Kharitonov 1052 42
A Double Ionization Chamber for Studying Fission-Fragment Spectra — B. G. Basova, V. P. Zakharova, V. A. Korostylev, V. N. Nefedov, A. D. Rabinovich, and D. K. Ryazanov 1056 46
Calculation of the Effective Solid Angle of an Extended Radiation Source — V. I. Khleskov ... 1060 49
An Installation for Absolute Measurements of the Adsorbed Dose of Photon Radiation in Graphite — A. P. Sebekin, V. V. Skomikov, V. I. Fominykh, I. I. Tsvetkov, and M. F. Yudin 1063 51

EXPERIMENTAL APPLICATION OF COMPUTER ENGINEERING

Data-Transmission Device for Communication between an Electronic Computer and an Experimental Installation — P. A. Fridman 1066 54
Principal Characteristics and Power Supply of the "SUMMA" System of Unitized Multichannel-Analysis Modules — O. I. Alferova, Yu. B. Bushnin, A. A. Denisenko, A. F. Dunaitsev, V. M. Leont'ev, V. A. Sen'ko, and A. N. Sytin 1069 56
The Control Blocks of the "SUMMA" System of Unitized Modules for Multichannel Analysis — Yu. B. Bushnin, A. A. Denisenko, A. F. Dunaitsev, and V. G. Rybakov 1071 57
Counters and Timers of the "SUMMA" System of Unitized Modules for Multichannel Analysis — Yu. B. Bushnin, A. F. Dunaitsev, V. A. Sen'ko, and A. N. Sytin 1073 58
Modules for Scintillation Hodoscopes of the "SUMMA" System of Unitized Modules for Multichannel Analysis — Yu. B. Bushnin, A. A. Denisenko, A. F. Dunaitsev, and V. A. Sen'ko 1075 59
A Buffer Analog Memory Block — A. S. Cherkasov, V. F. Borzhkovskii, V. G. Vlasov, I. A. Grishaev, I. I. Zalyubovskii, N. K. Zagnoiko, and A. I. Frolov 1077 60
The Cassette of a Tape Transport Mechanism — Yu. V. Poyasnik, V.A. Moiseev, and I. V. Averkieva 1081 63

ELECTRONICS AND RADIO ENGINEERING

A Binary Reversing Counter with Pulse Logic, which is Based on Integrated Circuits — V. T. Medvedev 1082 65
Reversing Photon Counter Based on Integrated Circuits — V. I. Cherednichenko and K. B. Petrushenko 1084 66
A High-Speed Coincidence Circuit Having a Resolution of 1 nsec — V. F. Boreiko and V. G. Zinov 1087 68
Correction of Amplitude Spectra which have been Distorted as a Consequence of Pulse Superposition — N. G. Volkov and S. N. Fedotov 1089 70
A Level Quantizer Based on a Blocking Oscillator — V. P. D'yakonov and Ch. A. Sharifov 1092 73
A Pulse-Amplitude Discriminator Based on a Single-Junction Transistor — D. G. Ali-Zade and Yu. B. Leshchinskii 1096 75
An Analog-Digital Converter and Integrating Amplifier — V. M. Aul'chenko, Yu. V. Korshunov, and Yu. V. Usov 1098 77

A Time–Amplitude Converter Having a Resolving Time ~10 psec–V. V. Danilevich, A. F. Chernyavskii, and A. K. Yakushev 1101 79
A Precision Converter for Converting Currents in the Picoampere and Nonampere Range into a Frequency–A. P. Bondarev, V. N. Radchenko, and L. A. Timokhin 1105 82
A Phase-Sensing Voltage–Digital Code Converter–I. M. Fedorov and V. V. Kormil'tsev 1108 85
A Generator which Produces current Pulses of up to 10 kA at a Voltage ~100 V –V. P. Lebedev and V. P. Voinov 1112 88
A Multispark High-Voltage Trigatron–V. G. Emel'yanov, B. M. Koval'chuk, V. A. Lavrinovich, G. A. Mesyats, and Yu. F. Potalitsyn 1114 89
A 160-Channel Generator which Produces Nanosecond Reference Light Flashes –S. G. Basiladze, V. A. Kramarenko, A. N. Malakhov, and A. N. Parfenov 1117 92
High-Speed Pulse Shaper with Digital Control of the Threshold, Delay, and Duration of the Output Signals–S. G. Basiladze and V. Tlachala 1121 96
A Transistorized Pulse Shaper for a Capacitive Load–Yu. N. Kal'chenko and A. A. Matsveiko 1125 99
A Rectangular-Pulse Shaper–V. P. D'yakonov and S. I. Zienko 1127 100
A Device for Generating an Automatically Varying Time Shift of Pulses–É. E. Artemchenko and N. A. Kryukova 1130 103
The "Amplifier-Shaper" Hybrid Integrated Microcircuit for Proportional Chambers –S. E. Baru, S. G. Basiladze, V. R. Groshev, M. V. Gusak, M. I. Markus, A. P. Onuchin, and G. I. Proviz 1132 105
A Preamplifier for the Readout Signal of a Memory Cathode-Ray Tube–V. G. Grishin and V. F. Starodubtsev 1136 108
Circuit for Stabilizing the Gain of a Stage Containing a Photoelectron Multiplier –Sh. R. Gizatullin and B. I. Kapranov 1138 109
An Electrometer Amplifier Having a Wide Dynamic Range–L. F. Berzin 1141 111
An Electrometer with a Dynamic Capacitor–V. I. Karlashchuk 1143 112
Auxiliary Equipment for Creating a Pulsed Magnetic Field Gradient for a Spin-Echo Nuclear Magnetic Resonance Unit–A. V. Anisimov, G. A. Velikanov, and V. D. Fedotov 1146 114
A Broadband Power Amplifier Based on Digital Elements for a Pulsed Nuclear-Resonance Spectrometer–I. A. Kuz'min, A. G. Geist, and V. I. Privalov 1149 116
A Two-Frequency Bridge for Investigations of Nuclear Magnetic Resonance–V. A. Ksenofontov and I. M. Ovchinnikov 1151 117
Recording of the Signal from a Low-Resolution Nuclear-Magnetic-Resonance Spectrometer –A. P. Stepanov, E. Yu. Medvedev, and S. V. Verkhovskii 1153 119
A Transformerless Amplitude Modulator–I. A. Belozerov 1156 122
A Device for Coherent Addition of Signals–T. B. Borukaev, V. N. Zvantsev, and A. N. Molchanov .. 1158 123
An Active RC-Filter Based on an Integrated Microcircuit–M. Sh. Guseinov, M. I. Ragimov, and Yu. M. Kafarov 1160 125
A Tunable Active Low-Pass Filter–A. M. Klimenko 1162 126

Volume 18, Number 4, Part 2 July-August, 1975

Mutual Interference in Multiplexing Equipment–V. Z. Khait 1165 128
Fiber-Optics Communication Link for Transmission of Signals in the Presence of High-Power Noise–V. P. Aranchii, E. R. Astvatsatur'yan, P. G. Bobyr', S. A. Bolotov, and S. A. Konyushkov 1166 129
Analog Device for Separating Complex Spectral Curves into Individual Components –Yu. N. Chirgadze, Yu. V. Safroshkin, and S. V. Biryukov 1169 131
Multichannel Instrument for Measuring the Time Distribution of Pulses–B. V. Kaul', V. S. Mironchik, and Yu. A. Panov 1173 134

Integrated-Circuit Discriminator for Measuring Internal Friction — A. A. Durgaryan, V. V. Esayan, and A. G. Egiazaryan 1175 135
A Regulated Sinusoidal AC Supply — M. B. Leitman and N. V. Kovalkov 1177 137
High-Voltage DC Amplifier with Bipolar Output — P. E. Molotov and V. G. Belozerov 1180 139
Thyristor Controller — A. V. Churbakov 1182 141
Compact Regulated Photomultiplier Power Supply Using a Piezoelectric Transformer — A. A. Tyshko and V. N. Baryshnikov 1185 143
Regulated Current Source (to 3200 A) for a Superconducting Solenoid — N. S. Bychkov, V. M. Lachinov, A. A. Popov, and V. S. Khabarov 1187 144
Regulated Power Supply for a Superconducting Magnet — M. Ya. Shor 1191 148

GENERAL EXPERIMENTAL TECHNIQUES

Super-High-Vacuum Unit — A. M. Zatselyapin and É. Ya. Stanishevskii 1193 150
Accumulation Method for a Leak Detector Using Tracer Fluids — G. V. Karpov, V. E. Skurat, and V. L. Tal'roze 1195 152
Detecting Leaks by Mass Spectrometery with Volatile Liquids Used as Tracers — V. E. Skurat, G. V. Karpov, and V. L. Tal'roze 1197 154
A Compact Vacuum Gauge — Yu. V. Ruban 1199 156
Image Converter with a Microchannel Plate — B. N. Bragin, M. M. But-slov, V. S. Malysheva, D. K. Sattarov, and B. M. Stepanov 1202 158
Temporal and Spectrometric Parameters of FÉU-85 and FÉU-87 Photomultipliers — V. G. Bondarenko, V. A. Grigor'ev, E. F. Maklyaev, and M. F. Runtso 1205 160
Investigation and Prediction of Single-Electron Characteristics of FÉU-71, FÉU-85, FÉU-86, and FÉU-87 Photomultipliers — S. S. Vetokhin, Yu. V. Golubev, I. R. Gulakov, A. N. Pertsev, I. V. Reznikov, and I. K. Skutov 1207 162
Certain Characteristics of Photoelectron Multipliers for Operation with Pulsed Lasers — A. E. Melamid and A. M. Potapov 1210 165
Control of the Sensitivity of a Photoelectron Multiplier by a Pulsed Magnetic Field — V. M. Bogdanov and F. L. Gerchikov 1213 167
Laser for the Ultraviolet Range Based on Organic Dyes with Pumping by Means of the Plasma Focus of a Magnetoplasma Compressor — N. I. Kozlov and Yu. S. Protasov 1215 169
A Light-Frequency Converter Based on a Solution of an Organic Dye — N. M. Buzinov, V. G. Dmitriev, A. G. Ershov, O. Yu. Tsvetkova, and O. B. Cherednichenko 1218 171
A Homodyne Interferometer with Indication of Reversal — V. P. Zakharov and V. P. Tychinskii . 1220 173
Temperature Stabilization of a Photoreceiver with an Avalanche Photodiode — A. M. Burd, Yu. A. Leichenko, B. N. Motenko and A. S. Popov 1224 176
An Absorption Infrared Image Converter — V. E. Il'in, K. A. Kiseleva, Ya. A. Oksman, and E. P. Semenov 1227 178
Characteristics of a Spiral Channel Multiplier in the Ultrasoft X-Ray and Ultraviolet Regions — M. R. Ainbund and V. Ya. Zaslavskii 1230 181
Measurement of the Reflection Coefficients of Mirrors — V. S. Lisitsyn, Yu. M. Nadezhkin, and L. A. Kirillova 1233 183
Measurement of a Slight Wedge Conformation by Means of a Narrow Beam of Coherent Radiation — V. T. Prokopenko, V. S. Rondarev, and A. D. Yas'kov 1235 185
Permanent Magnets for Nuclear High-Resolution Magnetoresonance Spectroscopy — L. L. Dekabrun and Yu. N. Kil'yanov 1237 186
A Simple Vibration Magnetometer for the Investigation of Ferromagnets — K. M. Golant and V. G. Veselago 1241 189
An Installation for the Compression of Helium — S. M. Stishov and A. F. Uvarov 1244 191
An Intensifier with a Stepped Piston for Investigating Sealing Systems at Gas Pressure of up to 15-20 kbar — M. A. Plotnikov and N. S. Zubarev 1246 193
Pressure at High Temperatures in a Solid-Phase "Anvil with Hole" Device — Yu. A. Litvin and R. A. Ishbulatov 1249 196

A High-Pressure Chamber with a Resonator Crystals for Investigating Electron Spin Resonance at Low Temperatures — A. Yu. Kozhukhar', S. N. Lukin, G. A. Tsintsadze, and V. A. Shapovalov 1252 198
An Installation for Measuring the Microwave Permittivity of Ferroelectrics under High Pressures — I. N. Polandov, E. A. Kafadarova, and V. M. Petrov 1256 201
A Two-Crystal X-Ray Spectrometer with Congruent Rotation Axes — M. V. Koval'chuk, É. K. Kov'ev, A. V. Mirenskii, and Yu. N. Shilin 1259 203
Camera for X-Ray Topographic Investigation on Single Crystals — Yu. V. Baranov and E. P. Kostyukova 1262 205
Sensitometric Characteristics of UF-R, UF-VCh, and UF-VR Film Used to Record Soft X Radiation (λ=2-10 Å) — E. V. Aglitskii, V. A. Boiko, T. A. Kalinkina, A. N. Oshurkova, S. A. Pikuz, V. M. Uvarova, A. Ya. Faenov, and M. R. Shpol'skii 1265 207
Electron-Microscopic Device for Measurement of Magnetic Leakage Fields — É. I. Rau, A. E. Luk'yanov, G. V. Spivak, and E. N. Zhukova 1268 209
Fabrication of Grids Having a Stable Shape for a Low-Voltage Electron-Diffraction Camera — L. G. Magaev, V. G. Dudko, and V. A. Morozov 1272 212
An Installation for Investigating the Electrophysical Properties of Semiconductor Materials under Conditions of Low-Temperature Plastic Deformation — V. V. Kolomoets and V. A. Sus' 1275 214
Plasmachemical Installation for Vacuum Deposition of Thin Films — N. A. Meshcheryakov, Yu. G. Orlik, and Yu. D. Shmuratko 1278 216
Nomogram for Calculating the Length of the Dark Cathode Space for Deposition of Thin Films by the Cathode-Sputtering Method — V. P. Belevskii, L. N. Vakulenko, and Yu. G. Kononenko 1281 218
A Precision Quartz Gravimeter Based on Frequency Measurement — A. G. Smagin 1284 220
Circuit for Precision Thermostating Based on an Integrated Microcircuit — G. V. Venkin, L. L. Kulyuk, and D. I. Maleev 1286 222
A Simple Two-Position Thyristor Temperature Controller — I. G. Muradov 1288 223
A Simple Bellows Pump for Mixing Corrosive Gases — D. Yu. Stupin and V. N. Vorob'ev 1290 225

REVIEWS OF INSTRUMENTS

Parity-Monitoring Block for the AI-4096 Analyzer — N. D. Zaika and I. G. Goncharov 1292 226
An Integrating Attachment to the VK7-10A/1 Digital Voltmeter — A. S. Martynyuk 1296 228
Calibration of an MM-13M-4A Magnetic Electrical-Discharge Pickup Relative to Inert Gases — E. S. Bekmukhambetov, N. M. Kuznetsov, and V. N. Tkach 1299 230
High-Temperature Attachment to the IKS-21 Spectrometer for Recording the Absorption Spectra of Molten Salts — M. A. Golubin and A. P. Khaimenov 1301 231
The Use of the SF-8 Recording Spectrophotometer for Measurement of the Absorption Spectra of Melts — V. P. Kotlin and Yu. A. Barbanel' 1303 232
A Follow-Up Magnetometer Based on an ELL-2 Magnetic Field Meter — V. I. Kurashov, I. I. Sadykov, and V. F. Tarasov 1306 234
A Simple Vernier for Multiturn Resistances — Yu. V. Kuznetsov 1309 236

NEW INSTRUMENTS

Instrument for Measuring the Content of Radionuclides Having a Low Energy of Photon Emission in the Samples — E. I. Dolgirev, G. N. Kaidanovskii, Yu. I. Kostikov, V. V. Nazarov, and D. A. Shchedrin 1310 237
Meter for Measuring the Statistical Characteristics of Electrical Signals — L. N. Martynov, V. F. Otchalko, N. G. Perekhod, M. A. Chernov, K. M. Shul'zhenko, and L. M. Shcherbanskii 1311 238
A Broadband Analyzer of Time-Sequence Fluctuations — B. P. Ustinov, I. A. Malevich, and V. M. Baranchikov 1312 239
System for Data Output from an Electron-Spin-Resonance Spectrometer — S. A. Denisov 1313 240

The USD-1 Amplifier with a Synchronous Detector – B. G. Ignatov, L. Z. Pososhenko, A. L. Aleksandrov, A. Ya. Smirnov, and S. N. Chumakov 1314 240
Twinned 2SCh-415 Binary Counters in the CAMAC Standard – Nguyen Fuk and E. Chmelewski 1314 241
The Quadded 4SCh-416 Binary Counter in the CAMAC Standard – Nguyen Fuk and E. Chmelewski 1315 242
A Compact Instrument for Locking Time Scales in Accordance with Television Signals – Yu. A. Fedorov and V. Ya. Bol'shakov. 1316 243
A Model for Debugging Electronic Systems – S. S. Shushkevich and V. E. Yamnyi 1317 244
Distributed-Gain Amplifier with a Low Noise Factor – A. I. Brunev, V. A. Sutorikhin, B. F. Golev, A. V. Serebryakov, A. A. Kuz'min, V. F. Poushev, and V. V. Sergeichev. 1318 245
A Broadband Transistor Main Amplifier – A. V. Serebryakov, B. V. Golev, A. I. Brunev, A. A. Kuz'min, V. Ya. Gyunter, and A. I. Silyutin 1318 245
The RÉPPS-1M Recorder for Recording Light Transmission and Electrical Conductivity of a Liquid in a Continuous-Flow Vessel – Yu. S. Inin, E. N. Tverdokhledov, and O. N. Timakhov 1319 246
Meter for Measuring Ultrasonic Velocity in Solids – V. M. Musonov and V. A. Chizhikov 1320 246
A Temperature Meter – I. T. Berdanov, M. A. Karavanova, V. I. Kostenko, and P. E. Stadnik 1320 247
Meter for Measuring the Level of Liquid Nitrogen – B. A. Marakhov, S. G. Grigor'ev, Yu. M. Khryapchenko, and B. E. Shevchenko 1321 247

Volume 18, Number 5, Part 1 September-October, 1975

Development of Methods and Systems for Spatial Element-Wise Processing of Bubble-Chamber Photographs (Review) – K. É. Érglis 1323 7

NUCLEAR EXPERIMENTAL TECHNIQUES

Low-Inductance Accelerator Tubes for High-Current Electron Accelerators – S. I. Anevskii, V. I. Liksonov, Yu. L. Sidorov, and V. P. Smirnov 1336 19
Device for Measurements of the Radiation Parameters of Pulsed Accelerators – N. N. Balamatov and A. S. Sirotkin 1339 21
Method for Stabilizing the Working Level of a Pulsed Magnetic Field – V. D. Tkachenko 1342 23
A Source of "Labeled" Alpha Particles – A. A. Kolchin, V. V. Lebedev, A. N. Repin, T. Sartbaev, G. P. Skrebtsov, and V. L. Shubin 1345 25
An Installation for Measuring the Coefficient of Conversion of Positive Low-Energy Ions into Negative Ones – B. A. D'yachkov, V. I. Zinenko, and A. V. Nasonov 1348 27
Elastic Waves from Pulsed Charged-Particle Beams in Metal and Piezodielectric Plates – B. D. Volovik and S. I. Ivanov 1351 29
SGS-200 High-Sensitivity Scintillation Gamma Spectrometer – É. M. Krisyuk, B. I. Smirnov, V. I. Parkhomenko, É. L. Shapiro, and D. A. Shchedrin 1355 33
System for Relative Stability Monitoring and Calibration of a Multichannel Cerenkov Gamma Spectrometer – A. N. Malakhov and M. N. Khachaturyan 1358 35
The Energy Analyzer of an Electron Magnetic Spectrometer – I. N. Shabanova, Yu. F. Ponomarev, V. P. Sapozhnikov, and V. A. Trapeznikov 1363 38
Mirror Elements of an Autocollimation System for the Illumination of Bubble Chambers – N. M. Viryasov, S. Vyskochil, M. D. Shafranov, R. Zrustek, and I. Pergler 1366 40
Wire-Chamber Modules with a Small Nonworking Volume – I. A. Radkevich and Yu. F. Tomashchuk 1368 41

Discharge-Condensation Chamber with a Working Cavity of 107 × 77 × 29 cm — Z. Sh. Mandzhavidze, T. T. Barnaveli, N. S. Grigalashvili, A. K. Dzhavrishvili, and A. Yu. Shtaerman 1370 43
Measurement of Primary Ionization in a Discharge-Condensation Chamber — N. S. Grigalashvili, A. K. Dzhavrishvili, T. V. Varsimashvili, and Z. Sh. Mandzhavidze 1373 46
Procedure for Measuring Ionization in Pulsed Ionization Chambers — T. M. Kirina, R. P. Kokoulin, and A. A. Petrukhin 1377 48
Use of a FÉU-92 Photoelectron Multiplier in Installations for the Measurement of Radioactive Carbon — Yu. N. Markov and V. M. Molebnikov 1381 51
Film Detectors for Registering Light Low-Energy Neutral Atoms — V. A. Kumaev and G. I. Zhabrev 1383 53
Measurement of the Linearity of the Characteristics of Semiconductor Radiation Detectors in the Current Regime — Z. A. Al'bikov, V. I. Liksonov, Yu. L. Sidorov, V. P. Smirnov, Yu. Ya. Tel'nov, and V. I. Yakushev 1385 55
Time Characteristics of Silicon Detectors for Various Types of Nuclear Radiations — O. V. Zakharchuk, O. P. Fedoseeva, T. A. Khripunova, V. S. Kosarev, and R. S. Reznikov 1388 57
Scintillation Counters Having a Large Area Which Have a Polymer Base and Are Used to Shield Low-Background Detectors from Cosmic Rays — V. I. Aleshin, A. Ya. Balysh, Yu. V. Kozlov, and V. I. Lebedev 1390 59
Separation of Cathodoluminescence from Transition Radiation According to the De-Excitation Time — A. A. Bogdzel', A. P. Kobzev, and E. Rutkovski 1393 61
A Relativistic Nuclear Photoemulsion for Stacks Having a Large Volume — K. S. Bogomolov, K. M. Romanovskaya, I. F. Razorenova, Z. I. Vetchinkina, V. A. Myl'tseva, D. A. Zhuravlev, M. A. Kondrat'eva , R. A. Nymmik, and L. O. Chikova 1396 63

APPLICATIONS OF COMPUTER ENGINEERING IN EXPERIMENTATION

A Device for Interfacing Multicrate CAMAC Systems with the M-6000 Electronic Computer — T. V. Bespalova, I. A. Golutvin, L. V. Komogorova, and D. A. Smolin 1399 66
An Analog Memory Device with Recording in Two Stages — A. A. Kuznetsov and V. I. Baryshev . 1402 68
High-Speed Memory and Sampling Device Based on Integrated Microcircuits — I. K. Krylov, V. N. Kuleshov, and V. K. Selyukov 1404 70
Controlled Recirculators with Charging Capacitors in the Feedback Loop — I. A. Malevich, Yu. I. Postoyanov, D. A. Efremenko, and V. G. Sovtus 1406 72
A Character Display for Collectively Utilized Information Devices — Yu. I. Romanov 1410 75
Six-Channel Converter for Converting Nanosecond Time Intervals into a Digital Code in the CAMAC Standard — S. G. Basiladze and V. Tlachala 1414 78

ELECTRONICS AND RADIO ENGINEERING

Estimating the Efficiency of Methods for Handling Bubble-Chamber Photographs with Simultaneous Local Scanning of Several Frames in the Corresponding Zone — K. É. Érglis 1419 83
Broadband Digital Analyzer for Analyzing Time Intervals between the Pulses of a Random Process — A. I. Kundin, É. A. Sheverda, V. V. Teterin, and I. D. Gol'din 1423 86
Instrument for Investigating the Probabilistic Characteristics of Fluctuating Time Intervals — A. S. Glinchenko and M. K. Chmykh 1425 88
Device for Automatic Selection of a Working Amplitude Range, Based on Integrated Circuits — O. S. Zaika and V. V. Kitaev 1428 91
A Digital-Sweep Generator for the PIM-3 Image Converter — V. I. Kovalenok 1431 93
A Generator Which Produces Powerful Rectangular Current Pulses with a Controllable Length — G. L. Benediktov, A. E. Ovcharenko, and V. M. Opre 1433 95
Generator producing High-Voltage Pulses for Light Modulators — P. P. Selivanov 1435 96
A High-Voltage Generator Which Produces Two Unipolar Pulses — N. S. Rudenko, V. I. Smetanin, and V. I. Tsvetkov 1437 98

High-Voltage Pulse Genrator for the Two-Meter Streamer Chamber of the JINR — N. S. Glagoleva, V. D. Volodin, Yu. Lukstin'sh, M. I. Kozlov, Yu. A. Karzhavin, P. S. Kuznetsov, A. T. Matyushin, V. T. Matyushin, V. S. Pak, N. S. Rudenko, V. I. Smetanin, V. I. Tsvetkov, A. A. Shatanov, É. A. Shevchenko, and A. F. Yudin 1439 99
The Use of a Double Shaping Line for Supplying a Symmetrical Streamer Chamber — T. A. Lomtadze and V. A. Mikhailov 1441 101
Increase of the Output Voltage Pulse Generators of the Spiral Type — M. I. Kozlov, S. V. Volkov, and G. K. Golobokin 1443 102
High-Frequency Modulator for Modulating Powerful Nanosecond Pulses — F. L. Gerchikov, A. A. Ushakov, A. N. Vorob'ev, and V. M. Bogdanov 1445 104
A Three-Gap Spark-Discharge Device for Supplying Spark Chambers — G. D. Alekseev and D. M. Khazins 1447 105
Commutation of a Low-Resistance Shaping Line by a Multichannel Spark Gap with Self-breakdown in Water — S. I. Anevskii, V. I. Liksonov, S. L. Nedoseev, Yu. L. Sidorov, and V. P. Smirnov 1450 107
Starting Characteristics of a 100-kV Trigatron Filled with SF_6 — A. I. Gerasimov, G. D. Kuleshov, A. I. Pavlovskii, S. Ya. Slyusarenko, and A. S. Fedotkin 1455 111
Shunt for Measurement of Pulse Currents — G. I. Levin 1458 113
Recirculation of Nanosecond Pulses in a Superconducting Cable — A. N. Didenko, V. I. Zelentsov, V. P. Shiyan, and Yu. G. Yushkov 1460 115
Pulse Circuits Based on the Transistor Analog of a Negatron — V. P. D'yakonov 1462 117
A Flip-Flop — M. I. Vakhrin 1465 119
An Electrometer with Increased Accuracy — V. I. Cherednichenko 1467 121
Charge-Sensing Preamplifier for Semiconductor Nuclear Detectors and High-Capacitance Photoreceivers — V. F. Levchenko and A. I. Repin 1470 123
Application of Delayed Feedback in an Amplifier for an Acoustic Sensor — S. V. Blazhevich and G. L. Fursov 1473 125
A Bandpass Infra-Low-Frequency RC-Amplifier — V. A. Isaikin and V. V. Maslennikov 1476 127
Selective Amplifier for Measurement of Hall emf — A. G. Volchenko and É. L. Kassatsier 1479 130
Stable-Phase Automatic Gain Control Using Field-Effect Transistors — I. P. Ryabokon', V. A. Goizhevskii, and N. P. Dolzhenko 1482 132
Broadband Phase Detector Based on a Field-Effect Transistor — I. P. Ryabokon' 1484 134

Volume 18, Number 5, Part 2 September-October, 1975

Use of a Microwave Converter Operating on the Basis of the Hot-Charge-Carrier Thermal emf Effect for Phase-Measurement Devices — V. S. Pitanov 1487 136
A Controllable Phase Shifter — V. I. Kostenko and O. N. Dem'yanko 1489 138
A High-Speed Current Comparator — A. A. Bragin, V. S. Orlov, and A. I. Strashkevich 1491 139
Diode-Regenerative Comparator Based on a Semiconductor Device Having an S-Shaped Volt–Ampere Characteristic — G. A. Ali Zade, V. P. D'yakonov, and D. G. Ali Zade .. 1493 140
Measurement of Impedances by Means of a Frequency-Response Meter — Yu. G. Boltovskii ... 1496 142
Low-Frequency Block of a Spectrometer — V. I. Beletskii, A. V. Golik, A. P. Korolyuk, and L. Ya. Matsakov 1497 143
An Automatic System of Markers for the Magnetic Field and Frequency of Microwave Spectrometers — S. S. Ishchenko and S. M. Okulov 1499 144
A Switching Frequency Divider for the Working-Frequency Synthesizer in a Nuclear-Magnetic-Resonance High-Resolution-Microwave Spectrometer — E. V. Kiyanovskii and A. F. Varenik 1502 146
A Transistorized Magnetometer — E. Yu. Medvedev, N. V. Koryukin, and S. V. Verkhovskii 1506 149

An Oscillator Based on a Tunnel Diode Which Is Stabilized by a Superconducting Resonator — V. M. Pudalov, S. A. Turanov, and M. S. Khaikin 1508 150
Stabilization of the Emission Current in a Three-Electrode Gun — É. F. Chaikovskii, V. T. Sotnikov, and D. V. Sheinert 1511 153
Power-Supply Block of a Photoelectron Multiplier with Automatic Control of the High Voltage — V. V. Zaitsev and B. N. Belov 1513 154
Power-Supply Block of an Ion Source for Mass Spectrometers — A. Shvets 1515 155
A Compact Stabilizer for Supplying a Gas Laser — L. P. Pechenkin, V. K. Fokin, and V. P. Gerasimov 1518 158

GENERAL EXPERIMENTAL TECHNIQUES

Investigation of the Composition of Gas Mixtures by Means of a KM-4 Quadrupole Mass-Spectrometric Gas Analyzer — V. I. Ivashkin, I. G. Blinov, V. S. Voronin, and G. I. Slobodenyuk 1521 160
An Ion Source with a Demountable Vaporizer for Measurement of the Isotopic Composition of Solid Samples — M. Sh. Kaviladze and T. A. Melashvili 1524 162
A Pulsed Gas-Dynamic Source of Neutral Atoms — E. I. Skibenko, A. I. Maslov, V. N. Kozlov, and V. B. Yuferov 1526 164
A Synchronous Modulator for Modulation of Crossed Molecular Beams — V. M. Akimov, S. M. Petukhov, and L. Yu. Rusin 1529 166
An Electromagnetic Shutter for Pulsed Admission of Gas — G. E. Derevyankin, V. G. Dudnikov, and P. A. Zhuravlev 1531 168
Bolometer for the Investigation of a Plasma — N. P. Kozlov and Yu. S. Protasov 1533 170
Installation for the Calibration of Vacuum Meters — V. V. Kuz'min and V. Kh. Nabiullin 1535 172
Afterpulses Accompanying the Main Signal in Photomultipliers — O. G. Ryazhskaya and L. N. Stepanets 1538 174
Zonal Characteristics of FÉU-35, -71, -85, and -99 — É. Kyiv 1541 176
Construction of He + Se Lasers — P. K. Telbizov and N. V. S"botinov 1544 178
An Oscillator for Exciting Pulsed Lasers with a Longitudinal Discharge — V. F. Tarasenko 1546 180
Instrument for Measuring the Radiation Characteristics of a CO_2 Laser — A. A. Balashov, I. A. Khripchenko, and E. A. Chernov 1548 181
Radiation Spectra of Flashlamps Having Ruby and Neodymium-Glass Envelopes — Yu. G. Basov, S. G. Morozova, and A. N. Tokareva 1551 183
Installation for Investigation of Two-Photon Absorption Spectra — V. I. Bredikhin 1555 187
Interferometer with Automatic Data Acquisition for Measurement of the Dependence of the Refractive Index of the Gas on Pressure — G. A. Shelkov and I. Shyuler 1558 189
An Attachment Based on the Method of Disrupted Total Internal Reflection with Partial Compensation of the Variation in the Penetration Depth of the Light Flux — Yu. N. Korolev and N. L. Telegin 1562 192
A High-Contrast Screen for the Visualization of Pronounced Inhomogeneities of a Transparent Medium — G. D. Salamandra and O. I. Luneva 1565 194
Visualization of Low-Contrast Defects from Their Polarizing Capacity — V. S. Chudakov and B. N. Grechushnikov 1567 195
Determining the Nature of Stacking Defects from Their Light-Field Image — V. I. Prokhorov, I. P. Matkhanova, and L. M. Sorokin 1570 198
Magnetometer Based on Optically Oriented Mercury Isotopes — I. E Grin'ko, V. N. Mityashin, Yu. M. Petukhov, V. F. Terzeman, and I. A. Shushpanov 1572 200
Device for Creating a High Hydrostatic Pressure — G. T. Dubovka 1577 204
Recording of Dielectric-Metal Phase Transitions at High Pressures — L. F. Vereshchagin, E. N. Yakovlev, B. V. Vinogradov, and V. P. Sakun 1579 205
Method for Measuring the Nonlinearity Coefficient of Electrical Conductivity in a High-Frequency Field — V. I. Denis, Zh. V. Kantsleris, and Z. I. Matunas 1582 207
New Method for Measuring Thermal emf — M. V. Vedernikov 1585 209
Magnetic Stabilization of the Operating Point of a Superconducting Bolometer — G. A. Zaitsev, V. G. Stashkov, and I. A. Khrebtov 1587 210

Installation for Measurement of the Magnetic Characteristics of Epitaxial Films of Rare-Earth Ferrogarnets — A. V. Antonov and V. I. Zhilin 1590 212
Representation of a Potential Profile in the Form of a Pattern of Equipotentials by Means of a Raster Electron Microscope — V. G. Dyukov 1593 214
An X-Ray Topographic Camera — V. I. Zelenov and T. A. Mingazin 1596 216
Determination and Improvement of Parameters that Affect the Resolving Power of an X-Radiation Spectrometer — J. Bacsó and T. Lakatosh 1599 219
The Use of a Spectrograph with a Convex Crystal as an Obscurer-Camera with Spectral Resolution — V. A. Boiko, S. A. Pikuz, and A. Ya. Faenov 1603 222
Modulation of X and Gamma Radiation by Means of Weak Alternating Magnetic Fields — V. G. Labushkin, V. P. Perelygin, N. N. Faleev, and V. A. Figin 1606 224
A Low-Temperature Attachment to an X-Ray Camera for the Purpose of Determining the Parameters of a Unit Cell — V. I. Lisoivan 1609 226
Cleaning the Substrate before Deposition of the Condensate — S. P. Oles'kiv and D. M. Freik ... 1611 227
Obtaining Dielectric Films by the Method of Cathode-Ray Vaporization — Yu. D. Pankov, V. A. Kamin, and S. S. Andreev 1613 228
Thermal Vacuum Deposition of Vitreous Films Having a Complex Composition — V. A. Shkut 1615 230
Fabrication of a Film Multilayer Ring Magnetic Core with Circular Anisotropy — I. Kh. Tartakovskaya, A. V. Sumarokov, and V. F. Pusan 1617 232
Gas Evolution from Electrical-Insulation Materials in the 200-1000°C Temperature Range — V. N. Belinskii, S. D. Grishin, and S. N. Ogorodnikov 1619 233
A Cathode-Ray Cathode Heater — A. P. Batashev and G. I. Sapozhnikov 1622 235
Multielectrode Input Lead for the Introduction of Thermocouples into an Evacuated Volume — Ya. A. Bal'tsevich and V. G. Gorshkov 1625 237
Welding of Thermocouples with Molybdenum Pins — A. M. Boguslavskii, I. N. Martem'yanov, and S. V. Chernyaev 1626 238
A "Smoked" Contact Shoe — G. A. Gusev 1627 239
Device for Visual Observation of the State of Cryogenic Liquids — A. M. Kagan, A. S. Pushnov, I. I. Gel'perin, V. V. Butov, and L. G. Bebchuk 1628 240
Automatic Device for Maintaining a Constant Liquid-Nitrogen Level — B. P. Batrakov, V. A. Kravchenko, and E. B. Ermakov 1631 242
An Adapter for Reducing Losses during the Pouring off of Liquid Helium — B. P. Batrakov and V. A. Kravchenko 1633 244
Precision Temperature Controller Based on Logical Elements — V. L. Blaivas, N. K. Lartsev, and Yu. M. Noikin 1635 245
An Attachment for Obtaining Micropowder — L. N. Aleksandrov and L. V. Ovchinnikova 1637 246

REVIEWS OF INSTRUMENTS

Repair of Ionization-Manometer Sensors — K. V. Tagantsev 1639 248
An Attachment to Logical-Selection Circuits — B. V. Arkhangel'skii 1640 249
An Attachment to the RÉ-1301 Spectrometer for the Investigation of Substances under a High Hydrostatic Pressure — A. I. Filippov 1641 249

NEW INSTRUMENTS

Liquid-Hydrogen Target with the Minimal Amount of Wall Substance in the Angle 2π — L. B. Golovanov and V. L. Mazarskii 1644 252
The Shch68000 Digital Volt-Ammeter — G. V. Miroshnikov, V. A. Shumkin, V. I. Polstvin, V. M. Efanov, and N. V. Derka 1644 252
The IVM-1 Reciprocal-Power Meter — V. I. Zhukov and A. V. Partshkov 1645 253
The NFK-2 and PFK-2 Photogalvanometric Autocompensation Instruments Having a Limiting Sensitivity to Current and Voltage — S. G. Rabinovich and E. A. Troitskii 1646 253
A Phase-Shift Amplifier — V. S. Suzdal' and V. I. Kostenok 1646 254
The G 75 Magnetometer — O. I. Glinskaya, M. M. Kabanov, E. E. Lashchuk, N. S. Pigina, N. M. Semenov, S. A. Skorodumov, L. M. Tret'yakov, A. I. Fedorov, and E. A. Shulyakovskii 1647 254

The DRF-2.0 X-Ray Diffractometer for Phase Analysis — O. A. Silaeva 1648 255
Thermostats for Optical and X-Ray Structural Analysis — Yu. V. Zveirgzde and Yu. A. Zvirgzd 1648 256
An Opticoelectronic Device for Recording Thermal Fields — Ya. A. Volkov, S. S. Denisov, V. A. Storozhenko, and D. A. Rapoport 1649 257
The IPK-1 Instrument for Measuring the Resistivity and Lifetime of Nonequilibrium Current Carriers in High-Resistance Semiconductor Materials — V. B. Akhmanaev, Yu. V. Medvedev, and A. S. Petrov 1650 257
The SKI-1 Scanning Fabry-Perot Compound Interferometer — V. A. Ageikin, V. G. Koloshnikov, A. E. Davydov, N. N. Kastorskaya, and Ya. E. Titlyanov 1651 258
The SI-1 Fabry–Perot Scanning Interferometer — V. A. Ageikin, V. G. Koloshnikov, A. E. Davydov, N. N. Kastorskaya, and Ya. E. Titlyanov 1651 258
An Integrating Infrared Radiometer — G. A. Gumenyuk, A. V. Shitik, and N. I. Sivkov 1652 259
The ÉIP-9 Aerosol-Particle Counter — A. A. Podol'skii, L. M. Logvinov, A. F. Voronov, and V. V. Fadeev 1653 259
Installation for Determining the Coefficient of Thermal Conductivity — V. V. Vlasov, A. V. Trofimov, V. A. Vasil'ev, and Yu. P. Menchev 1653 260
The URIP-1/73 Punching Universal Data Recorder — L. A. Brichkin, I. V. Kolchin, É. V. Kolchina, and A. A. Fogel' 1654 261
A Time-Interval Meter for Laser Ranging — Yu. N. Artyukh, G. I. Gotlib, and V. Ya. Zagurskii . 1655 262
A Nitrogen Prevacuum Trap — S. F. Grishin, V. A. Kovalenko, A. N. Kimos, and V. Ya. Chernyshenko 1656 263
Automatic Multichannel Radiometric Installation with a Digital Printer — A. M. Gurevich and N. N. Konovalov 1656 263

Volume 18, Number 6, Part 1 November-December, 1975

Principles of Eliminating Ambiguity in Digital Time-Interval Meters (Review) — S. V. Denbnovetskii and A. N. Shkuro 1659 7

NUCLEAR EXPERIMENTAL TECHNIQUES

A 500-keV Ion Accelerator — a Source of Fast Neutrons — N. A. Posokhov, G. I. Primenko, V. I. Strizhak, and V. K. Tarakanov 1671 17
A Pulsed Accelerator Based on the "ÉLIT-1" Accelerator — L. P. Fominskii 1674 19
A Pulse Electron Accelerator with a Spiral Transformer — V. V. Chernyi and A. G. Shevchenko .. 1676 21
A Device for Continuous Monitoring of the Parameters of an Extracted Cyclotron Beam — V. A. Rezvov and L. I. Yudin 1678 23
A Device for Precision Measurement of the Coordinates and Shape of an Extracted Proton Beam — É. A. Merker 1682 25
Installation for Investigating the Photoproduction of ^{4}He π^0 Mesons — P. S. Anan'in, I. V. Glavanakov, M. N. Gushtan, V. N. Eponeshnikov, A. P. Kashirin, V. M. Kuznetsov, and V. N. Stibunov 1685 28
Time Locking to Helions from the D(d, n)^{3}He Reaction — N. P. Babenko, A. V. Kozunov, and V. I. Vavilkin 1688 30
The Operation of Hybrid Chambers at High Loadings — A. I. Babaev, V. A. Lyubimov, V. V. Plyaskin, I. N. Tikhomirov, and V. V. Shepelev 1691 32
The Energy Resolution of Proportional Counters Having a Rectangular Cathode — D. A. Goganov, N. I. Komyak, M. N. Ryabinin, and V. A. Sklyankin 1694 34
Planar Spark Counter with a Localized Discharge — V. D. Laptev, Yu. N. Pestov, and N. V. Petrovykh 1698 36
A Gas Medium for a Planar Spark Counter with Localized Discharge — A. D. Afanas'ev, V. D. Laptev, Yu. N. Pestov, and B. P. Sannikov 1701 39

Certain Characteristics of a Planar Spark Counter with a Localized Discharge — V. D. Laptev and Yu. N. Pestov 1703 41
"Dead" Layers of Silicon Detectors, Which Are Obtained by Doping with Sodium and Potassium Ions — V. M. Korol', A. V. Zastavnyi, and P. L. Lysenko 1706 43
Determination of the Angular Dependence of the Efficiency with which Gamma-Radiation Is Recorded by Semiconductor Ge(Li) Detectors — G. A. Fedorov, A. A. Krymov, Z. M. Ivanova, and V. V. Kosterev 1708 43
A Gas Cerenkov Counter with a Shower Converter — a Detector for Detecting High-Energy Electrons and Gamma Quanta — V. K. Birulev, A. S. Vovenko, T. S. Grigalashvili, B. N. Gus'kov, V. G. Krivokhizhin, M. F. Likhachev, I. A. Savin, Yu. I. Salomatin, V. E. Simonov, L. V. Sil'vestrov, and G. G. Takhtamyshev 1710 46
Investigation of Scintillation Counters Having a Length 100 cm — R. G. Astvatsaturov, V. I. Ivanov, E. Knapik, A. I. Malakhov, and M. N. Khachaturyan 1714 49
Measurements of the Decay Parameters of Scintillations in Certain Organic Scintillators — L. E. Grudskaya, N. Z. Galunov, V. F. Poduzhailo, S. A. Verezubova, and Yu. A. Tsirlin 1717 52
Discrimination between Noise and Gamma-Background in Scintillation Neutron Detectors Containing ZnS(Ag) — G. M. Kazakevich and E. M. Filippov 1720 54
A Scintillation Resonance Detector for Mössbauer Research — S. I. Bondarevskii and V. V. Eremin 1724 57

EXPERIMENTAL APPLICATION OF COMPUTER ENGINEERING

Organization of the Acquisition of Digital Information in the Neutrino-Channel Monitoring System at the Institute of High-Energy Physics — A. P. Bugorskii, Yu. B. Bushnin, A. S. Vovenko, V. N. Goryachev, A. A. Denisenko, A. F. Dunaitsev, V. A. Krendelev, A. I. Mukhin, V. G. Rybakov, V. N. Rychenkov, V. A. Sen'ko, A. N. Sytin, and V. Ya. Uglekov 1726 59
Modules of the "SUMMA" System for Outputting of Information to an Oscilloscope, Digital Display, and Digital Printing — Yu. B. Bushnin, A. A. Denisenko, A. F. Dunaitsev, V. G. Rybakov, and A. N. Sytin 1728 60
The Recording Equipment of the "SUMMA" System for Magnetostriction Spark Chambers — Yu. B. Bushnin, A. A. Denisenko, A. F Dunaitsev, Yu. V. Mikhailov, and M. M. Soldatov 1733 64
Modules for Interfacing External Equipment with a CAMAC Crate — É. M. Gleibman, V. D. Inkin, and V. P. Nikolaev 1738 68
The Branch-Matching Devices in the CAMAC Standard — Nguyen Fuk and E. Khmelevski 1741 71
The "File" System for Recording Information from Digital Measurement Devices onto Punched Tape — E. S. Zhivopistsev 1743 73
Electronic Models in the Solution of Fluctuation Problems — N. G. Volkov, Yu. V. Pyatkov, K. G. Finogenov, and I. A. Shlyapina 1746 75
Automation of the Measurements of the Characteristics of Transmission Channels for Signals from Scintillation Counters — A. G. Petrov and A. N. Sinaev 1748 76
A Multichannel Analog-Digital Converter — V. A. Krendelev and V. N. Rychenkov 1752 79
A 24-Channel Controlled Pulse Generator for Light-Emitting Diodes, Which Has a Speed of Response of 80 MHz — S. G. Basiladze, Li Wan Sun, and A. N. Parfenov 1757 83

ELECTRONICS AND RADIO ENGINEERING

Method and Circuit for Finding the Coordinate of the Center of a Particle Track on a Scanning Automaton — Yu. A. Gusev 1761 86
Device for Identifying Recoil Protons According to the Shape of the Pulses in a Proportional Counter — E. N. Kuzin and N. N. Shchadin 1764 88
Automatic Measurement of the Distribution of the Extrema of Random Processes — V. A. Konstantinov, V. G. Vozzhaev, V. A. Gorlovskii, and Yu. I. Lykov 1768 91
A Multichannel Recorder with Time Division of Measurement Channels — V. I. Mikhailov and S. V. Naek 1771 93

Meter for Measuring the Average Pulse Counting Rate, Which Has an Improved Linearity — V. S. Gorev, M. D. Firsov, and A. L. Kholodkov 1773 94
A Photon-Counting Circuit — V. S. Lebedev and V. D. Lysov 1776 97
A "Code-Voltage" Converter Based on Commutated Capacitors — Yu. N. Grekhov 1778 98
A Simple Analog-Digital Converter That Converts the Voltage to a Number of Intermediate Accuracy — V. A. Ivanov, A. B. Kudryavtsev, and V. I. Ermakov 1781 100
A High-Speed Analog-Speed Analog-Digital Converter Based on Integrated Microcircuits — V. P. Golovkov, V. K. Ivanov, and S. S. Shikhmanov 1783 102
A Converter for Fast Amplitude Analysis — A. E. Beskorovainyi and A. A. Silaev 1786 105
A Programming Generator Producing Powerful Nanosecond Pulses — V. P. Krylov, A. N. Meshkov, V. N. Smirnov, and V. I. Shishko 1788 106
A Nanosecond Electron-Gun Modulator Having a Pulse Amplitude of up to 20 kV — A. N. Meshkov, A. V. Makarov, and V. I. Shishko 1790 108
A Two-Stage Electrical-Explosion Mechanical Commutator — A. V. Ivlev, V. G. Kuchinskii, A. S. Kibardin, A. V. Komin, and Yu. A. Morozov 1793 110
A Low-Inductance Controlled Spark Gap with a Solid Dielectric — V. A. Alekseev, B. V. Kalachev, G. I. Kromskii, and I. V. Smirnov 1796 112
A Low-Inductance Controlled Vacuum Spark Gap Operating at a Voltage of 100 kV and Currents of up to 15 MA — V. B. Ikonnikov, G. S. Kichaeva, and P. I. Shkuropat 1798 114
A Trinistor AC Switch that is controlled by Logical Signals — A. B. Muralev and E. P. Lepeshev 1801 117
Circuit for Starting and Controlling a Xenon Lamp Operating in a Pulsed Regime — A. D. Bordus and Yu. V. Martyshevskii 1802 118
Quartz Delay Lines with Circulating and Helical Propagation of an Elastic Surface Wave — V. I. Gvozdev and L. N. Krylov 1805 120
Pulse Shaper for a Spectrometer Having an n—p Detector — I. A. Rubinshtein and R. S. Rashkovan 1809 123
A Section for the Differentiation of Signals — V. G. Brovchenko 1813 127
Outlet of the Energy of a Nigotron Using a Continuous-Wave Microtron — V. A. Slobodyanyuk and L. M. Fedortsov 1815 128
A Broadband Ultra-Short-Wave Transistorized Amplifier — V. S Mikhailov and I. S. Shemetov 1818 131
Broadband Transistorized Power Amplifiers for the Meter Range — V. I. Govorukhin, B. I. Ivlev, and D. Khusainov 1822 134
A Broadband Amplifier with Automatic Gain Setting — M. V. Brunov, V. P. Golovkov, V. V. Gorbatyuk, A. A. Greshilov, and A. I. Makarov 1826 137

Volume 18, Number 6, Part 2 November-December, 1975

A Microstrip Y-Circulator with Low Losses for the 3-cm Band — V. E. Karapetyan, K. S. Mosoyan, and A. I. Smolin. 1831 141
Prismatic Directional Couplers and Attenuators for the Millimeter Range of Wavelengths — Yu. A. Dryagin, L. M. Kukin, and V. A. Mal'tsev. 1833 143
A Submillimeter Laser Phase Meter for Plasma Diagnostics — V. A. Shchelokov and D. N. Yundev 1836 145
A Pulsed Digital Storage Voltmeter for Nuclear Magnetic Resonance (NMR) Spectroscopy — V. S. Belkin and Yu. G. Kriger. 1839 147
The Pickup of a Pulsed Nuclear Magnetic Resonance Spectrometer — V. F. Tarasov 1842 149
A Simple Sensitivity Calibrator for a Autodyne Spectrometers — Yu. D. Samokhin and L. T. Tsymbal. 1844 150
A Harmonic Analyzer with an Electrodynamic Filter — V. F. Andreev, V. Ya. Kalinin, and L. D. Metelev. 1845 151

	Engl.	Russ.
An Amplifier for a Potentiostat – M. L. Gol'dshtein, S. L. Gol'dshtein, and S. P. Raspopin	1849	154
An Analog Multiplier – I. A. Buchkovskii, R. I. Zhelyak, and M. D. Kiselichnik	1851	156
A Low-temperature Oscillator with a Frequency Stability $4 \cdot 10^{-14}$ – A. G. Smagin	1853	157
A High-speed Circuit for Controlling an Image Converter – V. L. Gladchenko, V. M. Gorbachev, B. A. Nikitenko, and M. S. Pichugin	1856	159
A High-frequency Oscillator for an Acoustooptical Laser Q-Switch – V. B. Volkonskii and V. V. Yakovlev	1858	161
Stabilization of the Thermal Power of the Cathode of a Thermionic Converter during Combined Heating – G. M. Mailov and M. M. Karpenko	1860	162
Precision Batchers and Energy Meters for Calorimetric Heaters – L. N. Gal'perin, A. S. Neganov, Yu. R. Kolesov, and L. B. Mashkinov	1863	165
A Current Source with an Output of up to 500 A for Superconducting Magnetic Systems – A. Ya. Derkach, I. M. Karnaukhov, and A. A. Lukhanin	1867	168
Control of the Output Voltage in Power Supplies with Conversion of Direct Current to Alternating Current – Yu. V. Kuznetsov, E. V. Lazutin, I. M. Piskarev, and V. A. Khrushchev	1870	171
GENERAL EXPERIMENTAL TECHNIQUES		
A Gas-Discharge Electron Gun with Increased Stability of the Electron-Beam Current – L. A. Levshuk, D. A. Noskov, and E. V. Chikin	1874	174
Solid-Phase Ion Sources with Fields Having Axial Symmetry. A Multitape Source for Isotopic Analysis – L. V. Sumin	1877	176
A Charged-Particle-Energy Analyzer Based on a System of Skewed Irises – O. A. Vinogradova, S. K. Dimitrov, A. M. Zhitlukhin, V. M. Smirnov, and V. G. Tel'kovskii	1880	179
Trajectory Tracer for Solving a Broad Class of Problems in Electron Optics – R. E. Eliseev, D. A. Men'kov, and V. M. Sal'nikov	1883	181
Expansion of the Dynamic Range of Pressure Measurements by an Alpha-Ionization Manometer – A. V. Mitrofanov	1885	182
A High-Speed Ring Electrodynamic Valve – B. V. Dauter and L. G. Tokarev	1888	185
Pulsed Control of the Gain of Photoelectron Multipliers – G. D. Bogomolov, Yu. V. Dubrovskii, and A. A. Letunov	1891	187
Investigation of a Photomultiplier Signal for Irradiation by a Sequency of Subnanosecond Pulses from an Injection Laser – V. F. Kabanov, A. F. Kotyuk, V. F. Litvinov, V. V. Nikitin, A. S. Semenov, S. V. Tikhomirov, and V. A. Yakovlev	1894	189
Procedure and Equipment for Measuring the Number and Brightness of Multielectron Scintillations in an Image Converter – A. E. Melamid, T. A. Arkhipova, G. Z. Kuptsova and A. M. Potapov	1897	191
Luminescence of the Screen of an Image Converter When Neutrons Incident on It – A. V. Dombrovskii, G. A. Ivanov, and V. I. Ponomarev	1904	197
The Role of Effects Leading to Errors in the Measurement of the Energy and Power of Laser Radiation by Devices Based on Light Pressure – G. A. Pelepelina and B. T. Fedyushin	1907	199
Measurement of the Radiation Power of Light-Emitting Diodes on an Installation with a Photometric Sphere – B. M. Lavrinovich and F. F. Legusha	1911	202
A Gas-Filled Cathodoluminescent Photon Counter for Absolute Measurements in the 10-100-nm Range – G. S. Kvater and E. D. Mischenko	1913	203
Up Conversion of the Frequency of Near Infrared Radiation, and the Distribution of Photocounts in a Receiver Having Parametric Frequency Conversion – V. S. Dugin, I. N. Matveev, S. M. Pshenichnikov, N. P. Sopina, and A. F. Umnov	1918	208
An Installation with Crossed Beams for Measurement of the Radiation Lifetimes of the Excited States of Atoms, Ions, and Molecules – A. L. Osherovich, M. L. Burshtein, Ya. F. Verolainen, and A. Ya. Nikolaich	1921	210
An Optical Installation for Measurement of Ultrasmall Acoustic Vibrations – A. N. Bondarenko, B. Ya. Maslov, B. B. Rudaya, and V. P. Trotsenko	1923	211

Photoelectric Devices for Homing on an Achromatic Interference Band — Yu. M. Golubovskii, I. V. Novikova, L. N. Pivovarova, and G. G. Smirnova 1926 214
Vibration Microphotography of Defects — V. S. Chudakov 1929 216
Measurement of the Inclination of the Axis of the Light-Polarization Ellipse — D. I. Bilenko, B. A. Dvorkin, and P. S. Sysuev 1932 218
Measurement of the Degree of Polarization for Rayleigh Scattering of Light in Gases — E. Yu. Korableva and F. I. Panachev 1934 220
Photomagnetic Pickup Based on the Effect of Anomalously Large Photovoltages in Cadmium Telluride Films — I. P. Kretsu, S. S. Kabak, and A. G. Cheban 1937 222
The Direct Method of Measuring the Dependence of Pressure in Compressed Liquids on Temperature — V. N. Bogomolov 1939 224
A Cell with High Axial Pressure for Nuclear Quadrupole Resonance (NQR) — S. V. Mal'tsev 1941 225
Measurement of High Hydrostatic Pressures in Low-Temperature Nuclear-Magnetic-Resonance Investigations — V. I. Mirskii, V. T. Telepa, and L. T. Tsymbal 1943 227
Electron-Optic Methods of Investigation in the X-Ray Range Using Plastic Scintillators — G. I. Bryukhnevich, Yu. S. Kas'yanov, B. M. Stepanov, V. K. Chevokin, and M. Ya. Shchelev 1945 228
X-Ray Temperature Chamber for Investigating Liquid Crystals in Electric Fields — I. G. Chistyakov, A. V. Mirenskii, V. D. Belilovskii, and R. I. Zharenov 1949 231
Installation for Studying the Scattering of Fast Electrons by Gas Molecules, Based on the ER-100 Electron-Diffraction Camera — V. I. Bazhanov and N. G. Rambidi 1952 234
Measurement of the Components of the Impedance of Metal Oxide-Semiconductor Structures — L. A. V'yukov, O. B. Dem'yanovskii, and A. S. Deshevoi 1954 235
Resistive Contacts with Semiconductors of the A_2B_6 Type for a Wide Range of Temperatures — G. S. Pekar', L. I. Khandros, M. K. Sheinkman, and E. L. Shtrum 1958 238
A Resistive Contact for Si(Li) Detectors — M. L. Kozhukh and V. F. Morozov 1960 240
Fabrication of Thin Semiconductor Layers by the Electrolytic Etching Method — N. A. Pakhanov and A. S. Terekhov 1962 241
The Growth of Single-Crystal Films under a Protective Layer — L. S. Palatnik, A. I. Fedorenko, V. Ya. Edykin, and V F. Gamayunov 1964 243
Obtaining Foils and Films of Erbium and Scandium Isotopes for Nuclear Research — T. S. Nazarova and A. A. Rozen 1967 246
Condensation of an Atomic Beam on a Cold ($\leq$ 2°K) Surface — E. B. Gordon, L. P. Mezhov-Deglin, O. F. Pugachev, and V. V. Khmelenko 1969 247
Fabrication of Cooled Windows of Optical Cryostats — V. B. Anzin, Yu. V. Kosichkin, and A. I. Nadezhdinskii 1974 251
A Controllable Thermostat for Temperatures from 35 to 70°C which Is Based on Vanadium Dioxide — V. N. Andreev, I. K. Meshkovskii, E. I. Terukov and F. A. Chudnovskii 1975 252

REVIEWS OF INSTRUMENTS

Shaping of Demagnetizing Current Pulses for the Code Electromagnets of the PL-150 Tape Puncher — A. G. Solov'ev 1977 254
A Simple Method for Regenerating a NÉM-300 Pump — V. N. Kolomiets, G. I. Primenkov V. I. Strizhak and Yu. I. Usikov 1979 255

NEW INTRUMENTS

The PM-1 Proton Microscope for Particle Energies up to 150 keV — V. M. Kolyada, V. G. Zlobin, T. A. Kurinnaya, L. M. Nikiforova, and Yu. A. Tishchenko 1981 257

INDEX

Author Index, Volume 18, Numbers 1-6, 1975 1997
Tables of Contents, Volume 18, Numbers 1-6, 1975 2003

uss.

214
216
218
220
222
224
225
227
228
231
234
235
238
240
241
243
246
247
251
252
254
255
257